

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-50C-S	1	1590	4400	700	73	2. 2/1. 5	106
	2		4675	708			
	3		4950	715			
	4		5225	723			
	5		5500	730			
	1	1050	2913	307	68		
	2		3095	310			
	3		3277	313			
	4		3459	317			
	5		3591	322			
PDZF-50C-S	1	1480	4100	620	71	1. 8/1. 3	93
	2		4400	622			
	3		4700	625			
	4		5000	628			
	5		5300	630			
	1	964	2714	271	64		
	2		2913	272			
	3		3111	274			
	4		3310	275			
	5		3560	278			
PDZF-50C-S	1	1440	3900	530	70	1. 8/1. 3	93
	2		4200	538			
	3		4500	545			
	4		4800	553			
	5	5100	560				
	1	938	2582	232	64		
	2		2780	236			
	3		2979	239			
	4		3178	242			
5	3420		245				
PDZF-50C-S	1	1320	3700	470	69	1. 1/0. 85	93
	2		3975	475			
	3		4250	480			
	4		4525	485			
	5		4800	490			
	1	851	2449	206	62		
	2		2631	208			
	3		2814	210			
	4		2996	213			
	5		3180	217			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-50C-S	1	1250	3500	420	68	1. 1/0. 85	93
	2		3750	428			
	3		4000	435			
	4		4250	443			
	5		4500	450			
	1	827	2317	184	61		
	2		2483	187			
	3		2648	191			
	4		2814	194			
	5		2990	198			
PDZF-40C-S	1	1180	3300	385	67	0. 85/0. 65	88
	2		3550	392			
	3		3800	398			
	4		4050	404			
	5		4300	410			
	1	783	2185	169	60		
	2		2350	172			
	3		2516	174			
	4		2681	177			
	5		2825	181			
PDZF-40C-S	1	1120	3100	340	65	0. 85/0. 65	88
	2		3350	345			
	3		3600	350			
	4		3850	355			
	5		4100	360			
	1	742	2052	149	58		
	2		2218	151			
	3		2383	153			
	4		2549	155			
	5		2720	159			
PDZF-40C-S	1	1060	3000	290	64	0. 85/0. 65	88
	2		3250	297			
	3		3500	303			
	4		3750	309			
	5		4000	315			
	1	699	1986	127	57		
	2		2152	130			
	3		2317	133			
	4		2483	135			
	5		2650	139			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-40C-S	1	1000	2900	260	63	0.85/0.65	88
	2		3125	267			
	3		3350	273			
	4		3575	279			
	5		3800	285			
	1	660	1920	114	56		
	2		2069	117			
	3		2218	120			
	4		2367	122			
	5		2520	125			
PDZF-70C-S	1	1340	4700	810	75	3.3/1.1	140
	2		5275	815			
	3		5850	820			
	4		6425	825			
	5		7000	830			
	1	887	3114	355	68		
	2		3492	357			
	3		3873	359			
	4		4253	361			
	5		4650	367			
PDZF-70C-S	1	1270	4500	720	74	3.3/1.1	140
	2		5000	728			
	3		5500	735			
	4		6000	743			
	5		6500	750			
	1	843	2979	315			
	2		3310	319			
	3		3641	322			
	4		3972	325			
	5		4310	331			
PDZF-60C-S	1	1190	4100	600	72	2.2/0.7	116
	2		4575	608			
	3		5050	615			
	4		5525	623			
	5		6000	630			
	1	790	2714	263	65		
	2		3029	266			
	3		3343	269			
	4		3658	273			
	5		3980	278			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB(A)	电机 wk	重量 kg
PDZF-60C-S	1	1125	3900	540	71	2. 2/0. 7	116
	2		4375	545			
	3		4850	550			
	4		5325	555			
	5		5800	560			
	1	747	2581	236	63		
	2		2896	239			
	3		3211	241			
	4		3525	243			
	5		3850	247			
PDZF-50C-S	1	1070	3700	510	70	1. 8/1. 3	95
	2		4150	515			
	3		4600	520			
	4		5050	525			
	5		5500	530			
	1	710	2449	223	63		
	2		2747	226			
	3		3045	228			
	4		3343	230			
	5		3600	234			
PDZF-50C-S	1	1010	3500	430	68	1. 8/1. 3	95
	2		3925	435			
	3		4350	440			
	4		4775	445			
	5		5200	450			
	1	670	2317	188	61		
	2		2598	191			
	3		2880	193			
	4		3161	195			
	5		3400	198			
PDZF-50C-S	1	945	3200	400	67	1. 1/0. 85	91
	2		3850	405			
	3		4500	410			
	4		4650	415			
	5		4800	420			
	1	625	2118	175	59		
	2		2549	177			
	3		2979	180			
	4		3078	182			
	5		3180	186			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-50C-S	1	900	3100	350	66	1. 1/0. 85	91
	2		3475	355			
	3		3850	360			
	4		4225	365			
	5		4600	370			
	1	596	2052	153	58		
	2		2300	156			
	3		2549	158			
	4		2797	160			
	5		3050	163			
PDZF-130C-S	1	1355	13000	890	79	6. 7/2. 2	198
	2		11400	920			
	3		9750	945			
	4		8125	970			
	5		6500	1000			
	1	897	8610	390	68		
	2		7547	403			
	3		6464	414			
	4		5379	425			
	5		4310	438			
PDZF-120C-S	1	1280	12000	690	78	5. 5/2. 2	198
	2		10600	740			
	3		9150	795			
	4		7740	850			
	5		6300	900			
	1	847	7950	302	61		
	2		7020	324			
	3		6060	348			
	4		5125	372			
	5		4171	394			
PDZF-100C-S	1	1200	11000	610	77	4. 7/1. 5	185
	2		9750	660			
	3		8500	715			
	4		7250	770			
	5		6000	820			
	1	795	7280	267	69		
	2		6455	290			
	3		5630	313			
	4		4800	337			
	5		3980	359			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-130C-S	1	1135	10000	550	75	3.3/1.1	185
	2		8870	595			
	3		7750	640			
	4		6630	685			
	5		5500	730			
	1	751	6620	241	68		
	2		5870	260			
	3		5130	280			
	4		4390	300			
	5		3645	320			
PDZF-130C-S	1	1050	10000	465	73	3.3/1.1	185
	2		8750	503			
	3		7500	540			
	4		6250	578			
	5		5000	615			
	1	695	6620	204	66		
	2		5790	220			
	3		4970	237			
	4		4140	253			
	5		3310	270			
PDZF-90C-S	1	980	9500	415	72	3.3/1.1	185
	2		8375	449			
	3		7250	483			
	4		6125	517			
	5		5000	550			
	1	650	6390	182	64		
	2		5545	197			
	3		4800	212			
	4		4055	226			
	5		3310	241			
PDZF-90C-S	1	940	9000	360	71	2.2/1.5	150
	2		7875	390			
	3		6750	420			
	4		5625	450			
	5		4500	480			
	1	622	5960	158	64		
	2		5215	171			
	3		4470	184			
	4		3725	198			
	5		2980	210			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-90C-S	1	880	9000	320	70	2.2/1.5	150
	2		7875	348			
	3		6750	375			
	4		5625	403			
	5		4500	430			
	1	583	5960	140	63		
	2		5215	153			
	3		4470	165			
	4		3725	177			
	5		2980	189			
PDZF-80C-S	1	820	8500	300	68	1.8/1.3	149
	2		7425	323			
	3		6350	345			
	4		5275	365			
	5		4200	390			
	1	542	5630	131	61		
	2		4920	142			
	3		4205	151			
	4		3495	160			
	5		2780	171			
PDZF-80C-S	1	780	8000	255	67	1.8/1.3	149
	2		7000	276			
	3		6000	298			
	4		5000	319			
	5		4000	340			
	1	516	5296	112	60		
	2		4634	121			
	3		3972	131			
	4		3310	140			
	5		2650	150			
PDZF-200C-S	1	1230	22000	1000	82	12/5.5	344
	2		20250	1025			
	3		18500	1050			
	4		16750	1075			
	5		15000	1100			
	1	815	14570	438	75		
	2		13405	449			
	3		12247	460			
	4		11089	471			
	5		9930	482			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-200C-S	1	1170	21000	930	81	12/5.5	344
	2		19250	960			
	3		17500	990			
	4		15750	1020			
	5		14000	1050			
	1	775	13910	407	74		
	2		12744	420			
	3		11585	434			
	4		10427	447			
	5		9268	460			
PDZF-200C-S	1	1100	20000	850	80	12/5.5	344
	2		18250	878			
	3		16500	905			
	4		14750	933			
	5		13000	960			
	1	662	13240	372	73		
	2		12082	385			
	3		10923	396			
	4		9765	409			
	5		8606	420			
PDZF-200C-S	1	1060	19500	800	80	9/3.0	292
	2		17625	828			
	3		15750	855			
	4		13875	883			
	5		12000	910			
	1	702	12910	350	73		
	2		11668	363			
	3		10427	374			
	4		9185	387			
	5		7950	399			
PDZF-200C-S	1	1010	19000	700	79	9/3.0	292
	2		17125	728			
	3		15250	755			
	4		13375	783			
	5		11500	810			
	1	669	12578	307	72		
	2		11337	319			
	3		10096	331			
	4		8854	343			
	5		7613	355			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-180C-S	1	980	18500	650	77	6. 7/2. 2	277
	2		16625	675			
	3		14750	700			
	4		12875	725			
	5		11000	750			
	1	649	12250	285	69		
	2		11006	296			
	3		9765	307			
	4		8523	318			
	5		7282	329			
PDZF-180C-S	1	920	18000	570	76	6. 7/2. 2	277
	2		16000	593			
	3		14000	615			
	4		12000	638			
	5		10000	660			
	1	609	11920	250	68		
	2		10592	260			
	3		9268	270			
	4		7950	279			
	5		6620	289			
PDZF-160C-S	1	850	17000	490	75	4. 7/1. 5	252
	2		15125	515			
	3		13250	540			
	4		11375	565			
	5		9500	590			
	1	563	11260	215	67		
	2		10013	226			
	3		8772	237			
	4		7530	247			
	5		6290	258			
PDZF-160C-S	1	810	16500	450	74	4. 7/1. 5	252
	2		14625	475			
	3		12750	500			
	4		10875	525			
	5		9000	550			
	1	536	10925	200	66		
	2		9682	208			
	3		8441	219			
	4		7199	230			
	5		5958	241			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-160C-S	1	750	16000	390	73	3.3/1.1	243
	2		14250	408			
	3		12500	425			
	4		10750	443			
	5		9000	460			
	1	496	10600	171	65		
	2		9434	179			
	3		8275	186			
	4		7117	194			
	5		5958	202			
PDZF-150C-S	1	710	15000	350	72	3.3/1.1	243
	2		13250	370			
	3		11500	390			
	4		9750	410			
	5		8000	430			
	1	470	9930	153	64		
	2		8772	162			
	3		7613	171			
	4		6455	180			
	5		5296	188			
PDZF-150C-S	1	670	13000	290	70	2.2/0.9	232
	2		11500	308			
	3		10000	325			
	4		8500	343			
	5		7000	360			
	1	443	8630	127	62		
	2		7613	135			
	3		6620	142			
	4		5627	150			
	5		4634	158			
PDZF-350C-S	1	1060	37000	960	85	18.5/6.2	474
	2		33750	1008			
	3		30500	1055			
	4		27250	1103			
	5		24000	1150			
	1	702	24500	420	78		
	2		22343	442			
	3		20191	462			
	4		18040	483			
	5		15890	504			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-350C-S	1	1025	35000	840	83	15. 5/5. 1	449
	2		32000	893			
	3		29000	945			
	4		26000	998			
	5		23000	1050			
	1	679	23170	368	76		
	2		21200	391			
	3		19198	414			
	4		17210	437			
	5		15230	460			
PDZF-300C-S	1	960	32000	710	82	15. 5/5. 1	449
	2		29500	758			
	3		27000	805			
	4		24500	853			
	5		22000	900			
	1	636	21190	311	75		
	2		19530	332			
	3		17880	353			
	4		16219	374			
	5		14564	394			
PDZF-300C-S	1	910	31000	640	81	12/4. 0	408
	2		28500	678			
	3		26000	715			
	4		23500	753			
	5		21000	790			
	1	602	20530	280	74		
	2		18870	297			
	3		17220	313			
	4		15560	330			
	5		13910	346			
PDZF-300C-S	1	870	29000	560	80	12/4. 0	408
	2		26500	603			
	3		24000	645			
	4		21500	688			
	5		19000	730			
	1	576	19200	245	73		
	2		17543	264			
	3		15890	283			
	4		14233	301			
	5		12580	320			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-250C-S	1	800	27000	510	78	9/3.0	339
	2		24750	543			
	3		22500	575			
	4		20250	608			
	5		18000	640			
	1	530	17890	223	71		
	2		16385	238			
	3		14895	252			
	4		13406	266			
	5		11920	280			
PDZF-250C-S	1	760	26000	450	77	9/3.0	339
	2		23750	475			
	3		21500	500			
	4		19250	525			
	5		17000	550			
	1	503	17220	197	70		
	2		15723	208			
	3		14240	219			
	4		12745	230			
	5		11254	241			
PDZF-250C-S	1	680	24000	400	75	5.5/2.2	339
	2		22000	423			
	3		20000	445			
	4		18000	468			
	5		16000	490			
	1	450	15890	175	67		
	2		14564	185			
	3		13240	195			
	4		11916	205			
	5		10592	215			
PDZF-200C-S	1	650	22000	330	74	5.5/2.2	339
	2		20250	353			
	3		18500	375			
	4		16750	398			
	5		15000	420			
	1	430	14570	145	66		
	2		13406	155			
	3		12247	163			
	4		11089	174			
	5		9930	184			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-200C-S	1	610	20000	300	72	4/3.0	307
	2		18500	315			
	3		17000	330			
	4		15500	345			
	5		14000	360			
	1	405	13240	131	64		
	2		12247	138			
	3		11254	145			
	4		10261	151			
	5		9268	158			
PDZF-200C-S	1	570	19000	260	71	4/3.0	307
	2		17500	278			
	3		16000	295			
	4		14500	313			
	5		13000	330			
	1	378	12580	114	63		
	2		11585	122			
	3		10592	129			
	4		9599	137			
	5		8606	145			
PDZF-450C-S	1	1020	45000	1260	87	30/10.0	645
	2		41250	1280			
	3		37500	1300			
	4		33750	1320			
	5		30000	1340			
	1	675	29790	552	80		
	2		27308	561			
	3		24825	569			
	4		22343	578			
	5		19860	587			
PDZF-450C-S	1	980	47000	1170	87	30/10.0	645
	2		44250	1188			
	3		41500	1205			
	4		38750	1223			
	5		36000	1240			
	1	650	31114	512	80		
	2		29294	520			
	3		27473	528			
	4		25563	536			
	5		23832	543			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-400C-S	1	870	43000	930	84	24/8.0	605
	2		41750	945			
	3		40500	960			
	4		39250	975			
	5		38000	990			
	1	576	28470	407	77		
	2		27639	414			
	3		26811	420			
	4		25984	427			
	5		25156	434			
PDZF-400C-S	1	980	38000	1180	86	24/8.0	605
	2		35750	1193			
	3		33500	1205			
	4		31250	1218			
	5		29000	1230			
	1	650	25160	517	79		
	2		23667	523			
	3		22177	528			
	4		20688	533			
	5		12702	539			
PDZF-400C-S	1	920	42000	1050	85	24/8.0	605
	2		40250	1060			
	3		38500	1070			
	4		36750	1080			
	5		35000	1090			
	1	610	27810	460	78		
	2		26646	464			
	3		25487	469			
	4		24329	473			
	5		23170	477			
PDZF-450C-S	1	880	39000	970	84	18.5/6.2	564
	2		37000	980			
	3		35000	990			
	4		33000	1000			
	5		31000	1010			
	1	583	25820	425	76		
	2		24494	429			
	3		23170	434			
	4		21846	438			
	5		20522	442			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-350C-S	1	930	36000	1040	84	18. 5/6. 2	564
	2		34000	1050			
	3		32000	1060			
	4		30000	1070			
	5		28000	1080			
	1	615	23840	456	77		
	2		22508	460			
	3		21184	464			
	4		19860	469			
	5		18536	473			
PDZF-300C-S	1	980	30000	1071	85	18. 5/6. 2	564
	2		28250	1119			
	3		26500	1166			
	4		24750	1213			
	5		23000	1260			
	1	650	19860	469	78		
	2		18702	490			
	3		17543	511			
	4		16385	531			
	5		15226	552			
PDZF-450C-S	1	740	38000	700	81	15. 5/5. 1	526
	2		36250	713			
	3		34500	725			
	4		32750	738			
	5		31000	750			
	1	490	25160	307	73		
	2		23998	312			
	3		22839	318			
	4		21681	323			
	5		20522	329			
PDZF-350C-S	1	830	36000	830	82	15. 5/5. 1	526
	2		33500	837			
	3		31000	845			
	4		28500	852			
	5		26000	860			
	1	550	23840	364	74		
	2		22177	367			
	3		20522	370			
	4		18867	373			
	5		17212	377			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-350C-S	1	880	33000	860	83	15. 5/5. 1	526
	2		29750	888			
	3		26500	915			
	4		23250	943			
	5		20000	970			
	1	583	21850	377	77		
	2		19695	389			
	3		17543	401			
	4		15392	413			
	5		13240	425			
PDZF-300C-S	1	940	29000	930	83	15. 5/5. 1	526
	2		26750	953			
	3		24500	975			
	4		22250	998			
	5		20000	1020			
	1	625	19200	407	77		
	2		17709	417			
	3		16219	427			
	4		14730	437			
	5		13240	447			
PDZF-350C-S	1	680	36000	650	80	12/4. 0	508
	2		33000	663			
	3		30000	675			
	4		27000	688			
	5		24000	700			
	1	450	23840	285	72		
	2		21846	290			
	3		19860	296			
	4		17874	301			
	5		15888	307			
PDZF-350C-S	1	730	33000	690	80	12/4. 0	508
	2		30250	700			
	3		27500	710			
	4		24750	720			
	5		22000	730			
	1	485	21850	302	72		
	2		20026	307			
	3		18205	311			
	4		16385	315			
	5		14564	320			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-250C-S	1	820	27000	740	81	12/4.0	508
	2		24750	763			
	3		22500	785			
	4		20250	808			
	5		18000	830			
	1	545	17890	324	73		
	2		16385	334			
	3		14895	344			
	4		13406	354			
	5		11916	364			
PDZF-300C-S	1	600	31000	460	75	9.5/3.7	485
	2		29250	465			
	3		27500	470			
	4		25750	475			
	5		24000	480			
	1	398	20530	202	67		
	2		19364	204			
	3		18205	206			
	4		17047	208			
	5		15888	210			
PDZF-300C-S	1	640	28000	530	75	9.5/3.7	485
	2		26000	535			
	3		24000	540			
	4		22000	545			
	5		20000	550			
	1	425	18540	232	67		
	2		17212	234			
	3		15890	237			
	4		14564	239			
	5		13240	241			
PDZF-250C-S	1	720	26000	570	77	9.5/3.7	485
	2		22250	585			
	3		18500	600			
	4		14750	615			
	5		11000	630			
	1	451	17220	250	69		
	2		14730	256			
	3		12247	263			
	4		9765	269			
	5		7282	276			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-250C-S	1	730	24000	640	77	9.5/3.7	485
	2		22250	653			
	3		20500	665			
	4		18750	678			
	5		17000	690			
	1	485	15890	280	70		
	2		14730	286			
	3		13751	291			
	4		12413	297			
	5		11254	302			
PDZF-200C-S	1	640	22000	480	75	5.5/2.2	435
	2		20000	493			
	3		18000	505			
	4		16000	518			
	5		14000	530			
	1	424	14570	210	67		
	2		13240	216			
	3		11916	221			
	4		10592	227			
	5		9268	232			
PDZF-250C-S	1	600	27000	370	74	5.5/2.2	435
	2		23500	385			
	3		20000	400			
	4		16500	415			
	5		13000	430			
	1	398	17890	162	66		
	2		15557	169			
	3		13240	175			
	4		10923	182			
	5		8606	188			
PDZF-250C-S	1	510	24000	300	72	4.5/1.5	428
	2		21000	310			
	3		18000	320			
	4		15000	330			
	5		12000	340			
	1	338	15890	131			
	2		13902	136			
	3		11916	140			
	4		9930	145			
	5		7944	149			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-400C-S	1	850	54000	1370	89	32/26	892
	2		50000	1328			
	3		46000	1285			
	4		42000	1243			
	5		38000	1200			
	1	566	35748	600	82		
	2		33100	581			
	3		30452	562			
	4		27804	544			
	5		25300	530			
PDZF-500C-S	1	850	54000	1470	89	32/26	892
	2		50000	1488			
	3		46000	1505			
	4		42000	1523			
	5		38000	1540			
	1	566	35750	644	82		
	2		33100	652			
	3		30452	659			
	4		27804	667			
	5		25300	675			
PDZF-400C-S	1	850	54000	1370	89	32/26	892
	2		50000	1328			
	3		46000	1285			
	4		42000	1243			
	5		38000	1200			
	1	566	35748	600	82		
	2		33100	581			
	3		30452	562			
	4		27804	544			
	5		25300	530			
PDZF-400C-S	1	930	42000	1490	88	33/11.0	721
	2		37500	1505			
	3		33000	1520			
	4		28500	1535			
	5		24000	1550			
	1	615	27810	653	81		
	2		24825	659			
	3		21846	666			
	4		18867	672			
	5		15890	679			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-450C-S	1	870	47000	1370	88	33/11.0	721
	2		43000	1378			
	3		39000	1385			
	4		35000	1393			
	5		31000	1400			
	1	576	31120	600	81		
	2		28466	604			
	3		25818	607			
	4		23170	610			
	5		20522	613			
PDZF-350C-S	1	880	35000	1330	86	24/8.0	653
	2		31250	1340			
	3		27500	1350			
	4		23750	1360			
	5		20000	1370			
	1	583	23170	583	79		
	2		20688	587			
	3		18205	591			
	4		15723	596			
	5		13240	600			
PDZF-400C-S	1	850	38000	1210	86	24/8.0	653
	2		36000	1215			
	3		34000	1220			
	4		32000	1225			
	5		30000	1230			
	1	559	25156	530	79		
	2		23832	532			
	3		22508	534			
	4		21184	537			
	5		19860	543			
PDZF-250C-S	1	940	26000	1460	86	18.5/6.2	645
	2		23250	1468			
	3		20500	1475			
	4		17750	1483			
	5		15000	1490			
	1	625	17720	639	79		
	2		15392	643			
	3		13571	646			
	4		11751	650			
	5		9930	653			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-350C-S	1	840	33000	1190	85	18. 5/6. 2	645
	2		29500	1208			
	3		25000	1225			
	4		21000	1243			
	5		17000	1260			
	1	556	21850	521	77		
	2		19529	529			
	3		16550	537			
	4		13902	644			
	5		11254	552			
PDZF-350C-S	1	780	35000	1070	84	18. 5/6. 2	645
	2		32500	1078			
	3		30000	1085			
	4		27500	1093			
	5		25000	1100			
	1	516	23170	469	76		
	2		21515	472			
	3		19860	475			
	4		18205	479			
	5		16550	482			
PDZF-200C-S	1	870	23000	1350	85	15. 5/5. 1	573
	2		19750	1370			
	3		16500	1390			
	4		13250	1410			
	5		10000	1430			
	1	576	15230	591	78		
	2		13075	600			
	3		10923	609			
	4		8772	618			
	5		6620	626			
PDZF-300C-S	1	750	31000	1010	84	15. 5/5. 1	573
	2		26500	1025			
	3		22000	1040			
	4		17500	1055			
	5		13000	1070			
	1	498	20530	442	76		
	2		17543	449			
	3		14564	456			
	4		11585	462			
	5		8606	469			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-350C-S	1	700	35000	840	83	15.5/5.1	573
	2		32500	865			
	3		30000	890			
	4		27500	915			
	5		25000	940			
	1	465	23170	368	75		
	2		21515	379			
	3		19860	390			
	4		18205	401			
	5		16550	412			
PDZF-200C-S	1	820	19000	1180	83	12/4.0	553
	2		16500	1202			
	3		14000	1225			
	4		11500	1248			
	5		9000	1270			
	1	543	12580	517	76		
	2		10923	526			
	3		9268	536			
	4		7613	547			
	5		5958	556			
PDZF-250C-S	1	730	27000	900	82	12/4.0	553
	2		23000	913			
	3		19000	925			
	4		15000	938			
	5		11000	950			
	1	485	17880	395	75		
	2		15226	400			
	3		12578	405			
	4		9930	411			
	5		7282	416			
PDZF-300C-S	1	650	30000	720	81	12/4.0	553
	2		25500	745			
	3		21000	770			
	4		16500	795			
	5		12000	820			
	1	430	19860	315	73		
	2		16881	326			
	3		13902	337			
	4		10923	348			
	5		7944	359			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-350C-S	1	610	35000	670	81	12/4.0	553
	2		32000	680			
	3		29000	690			
	4		26000	700			
	5		23000	710			
	1	405	23170	293	73		
	2		21184	298			
	3		19198	302			
	4		17212	307			
	5		15226	311			
PDZF-150C-S	1	760	15000	1030	81	9/3.0	530
	2		13250	1050			
	3		11500	1070			
	4		9750	1090			
	5		8000	1110			
	1	503	9930	451	74		
	2		8772	460			
	3		7612	469			
	4		6455	477			
	5		5296	486			
PDZF-250C-S	1	610	25000	640	79	9/3.0	530
	2		22500	658			
	3		20000	675			
	4		17500	693			
	5		15000	710			
	1	405	16550	280	72		
	2		14895	288			
	3		13240	296			
	4		11585	304			
	5		9930	311			
PDZF-120C-S	1	720	12000	910	79	6.7/2.2	480
	2		10750	928			
	3		9500	945			
	4		8250	963			
	5		7000	980			
	1	478	7950	399	71		
	2		7117	406			
	3		6289	414			
	4		5462	422			
	5		4634	429			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-150C-S	1	680	14000	780	78	6. 7/2. 2	480
	2		12250	800			
	3		10500	820			
	4		8750	840			
	5		7000	860			
	1	450	9270	342	70		
	2		8110	350			
	3		6951	359			
	4		5793	368			
	5		4634	377			
PDZF-150C-S	1	610	16000	630	77	6. 7/2. 2	480
	2		13750	645			
	3		11500	660			
	4		9250	675			
	5		7000	690			
	1	405	10600	276	70		
	2		9103	283			
	3		7613	289			
	4		6124	296			
	5		4634	302			
PDZF-750C-S	1	860	75000	1470	90	55/18. 5	1150
	2		70250	1478			
	3		65500	1485			
	4		60750	1493			
	5		56000	1500			
		569	49650	644	83		
			46506	647			
			43361	650			
			40127	654			
			37072	657			
PDZF-700C-S	1	825	71000	1350	89	42/32	1000
	2		66750	1358			
	3		62500	1365			
	4		58250	1373			
	5		54000	1380			
		581	47010	591	82		
			44189	595			
			41375	598			
			38562	601			
			35784	604			

型号	工况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-550C-S	1	850	54500	1380	89	37/12.0	925
	2		53000	1385			
	3		51500	1390			
	4		50000	1395			
	5		48500	1400			
		564	36080	604	82		
			35086	607			
			34093	609			
			33100	611			
			32107	613			
PDZF-500C-S	1	825	48500	1350	88	37/12.0	925
	2		46250	1365			
	3		44000	1380			
	4		41750	1395			
	5		39500	1410			
		550	32110	591	81		
			30618	598			
			29128	604			
			27639	611			
			26149	618			
PDZF-600C-S	1	785	62500	1170	88	37/12.0	925
	2		60000	1175			
	3		57500	1180			
	4		55000	1185			
	5		52500	1190			
		530	41380	512	81		
			39720	515			
			38065	517			
			36410	519			
			34700	521			
PDZF-500C-S	1	815	52000	1200	87	30/10.0	925
	2		50250	1208			
	3		48500	1215			
	4		46750	1223			
	5		45000	1230			
	1	541	34430	526	79		
	2		33266	529			
	3		32107	532			
	4		30949	536			
	5		29790	539			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-600C-S	1	735	58500	1070	87	30/10.0	925
	2		53250	1072			
	3		48000	1075			
	4		42750	1078			
	5		37500	1080			
	1	487	38730	469	79		
	2		35251	472			
	3		31776	475			
	4		28301	479			
	5		24825	482			
PDZF-450C-S	1	785	45500	1220	87	30/10.0	925
	2		43500	1225			
	3		41500	1230			
	4		39500	1235			
	5		37500	1240			
	1	520	30130	534	80		
	2		28797	537			
	3		27473	539			
	4		26149	541			
	5		24825	543			
PDZF-550C-S	1	650	55000	820	84	24/8.0	783
	2		52625	823			
	3		50250	825			
	4		47875	827			
	5		45500	830			
	1	430	36410	359	76		
	2		34838	361			
	3		33266	363			
	4		31693	365			
	5		30121	368			
PDZF-500C-S	1	590	49500	730	83	20/10.0	783
	2		48000	732			
	3		46500	735			
	4		45000	738			
	5		43500	740			
	1	390	32770	320	75		
	2		31776	323			
	3		30783	325			
	4		29790	327			
	5		28797	329			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-450C-S	1	660	45500	840	84	20/10.0	783
	2		41750	848			
	3		38000	855			
	4		34250	863			
	5		30500	870			
	1	438	30310	368	76		
	2		27639	371			
	3		25156	374			
	4		22674	378			
	5		20191	381			
PDZF-400C-S	1	745	37500	1080	85	20/10.0	783
	2		36250	1090			
	3		35000	1100			
	4		33750	1110			
	5		32500	1120			
	1	495	24830	473	78		
	2		23998	477			
	3		23170	482			
	4		22343	486			
	5		21515	491			
PDZF-450C-S	1	520	45000	600	81	15.5/5.1	703
	2		41625	602			
	3		38250	605			
	4		34875	608			
	5		31500	610			
	1	345	29700	263	73		
	2		27556	265			
	3		25322	267			
	4		23087	269			
	5		20853	272			
PDZF-450C-S	1	590	44000	690	82	15.5/5.1	703
	2		39375	703			
	3		34750	715			
	4		30125	728			
	5		25500	740			
	1	391	29130	302	70		
	2		26066	308			
	3		23004	313			
	4		19943	319			
	5		16881	324			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-400C-S	1	500	41000	550	79	12/4.0	663
	2		37125	552			
	3		33250	555			
	4		29375	558			
	5		25500	560			
	1	331	27250	241	71		
	2		24576	243			
	3		22012	246			
	4		19446	249			
	5		16881	251			
PDZF-300C-S	1	520	32000	580	79	12/4.0	663
	2		28375	590			
	3		24750	600			
	4		21125	610			
	5		17500	620			
	1	345	21190	254	71		
	2		25404	258			
	3		16385	263			
	4		13985	267			
	5		11585	272			
PDZF-900C-S	1	760	90000	1450	91	55/18.5	1371
	2		85000	1463			
	3		80000	1475			
	4		75000	1488			
	5		70000	1500			
	1	503	59580	635	84		
	2		56270	641			
	3		52960	646			
	4		49650	652			
	5		46340	657			
PDZF-850C-S	1	740	85000	1410	91	55/18.5	1371
	2		80000	1412			
	3		75000	1415			
	4		70000	1418			
	5		65000	1420			
	1	489	56270	618	84		
	2		52960	620			
	3		49650	623			
	4		46340	625			
	5		43030	628			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-700C-S	1	760	71000	1420	90	42/32	1171
	2		66750	1423			
	3		62500	1425			
	4		58250	1428			
	5		54000	1430			
	1	504	47150	623	83		
	2		44189	625			
	3		41375	628			
	4		38562	631			
	5		35748	633			
PDZF-600C-S	1	740	59000	1400	89	38/17	1077
	2		56000	1407			
	3		53000	1415			
	4		50000	1422			
	5		47000	1430			
	1	490	39060	613	82		
	2		37072	616			
	3		35086	620			
	4		33100	623			
	5		31114	626			
PDZF-650C-S	1	660	68000	1140	88	38/17	1077
	2		64750	1150			
	3		61500	1160			
	4		58250	1170			
	5		55000	1180			
	1	438	45020	500	81		
	2		42865	504			
	3		40713	508			
	4		38562	512			
	5		36410	517			
PDZF-600C-S	1	656	57000	1080	87	33/11.0	1049
	2		54000	1096			
	3		51000	1115			
	4		48000	1133			
	5		45000	1150			
	1	435	37740	473	79		
	2		35748	480			
	3		33762	488			
	4		31776	496			
	5		29790	503			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-650C-S	1	623	66000	940	86	33/11.0	1049
	2		59750	952			
	3		53500	963			
	4		47251	974			
	5		41000	985			
	1	415	43700	412	78		
	2		39555	417			
	3		35417	422			
	4		31280	427			
	5		27142	431			
PDZF-600C-S	1	550	59000	790	84	25/12.0	1000
	2		55250	800			
	3		51500	810			
	4		47750	820			
	5		44000	830			
	1	365	39060	346	76		
	2		36576	350			
	3		34093	355			
	4		31611	359			
	5		29128	364			
PDZF-450C-S	1	588	45000	920	85	20/10.0	941
	2		42500	938			
	3		40000	955			
	4		37500	973			
	5		35000	990			
	1	390	29790	403	78		
	2		28135	411			
	3		26480	418			
	4		24825	426			
	5		23170	434			
PDZF-600C-S	1	519	57000	650	82	20/10.0	941
	2		54250	657			
	3		51500	665			
	4		48750	673			
	5		46000	680			
	1	355	37740	285	74		
	2		35914	288			
	3		34093	291			
	4		32273	295			
	5		30452	298			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-500C-S	1	519	48000	660	82	17/5.5	941
	2		44875	668			
	3		41750	675			
	4		38625	683			
	5		35500	690			
	1	345	31780	289	74		
	2		29707	293			
	3		27630	296			
	4		25570	299			
	5		23501	302			
PDZF-500C-S	1	454	48000	540	80	17/5.5	941
	2		43750	547			
	3		39500	555			
	4		35250	563			
	5		31000	570			
		300	31780	237	72		
			28963	240			
			26149	243			
			23336	247			
			20522	250			
PDZF-400C-S	1	519	38000	640	81	12/5.5	921
	2		33750	653			
	3		29500	665			
	4		25250	678			
	5		21000	690			
	1	345	25160	280	74		
	2		14783	286			
	3		19529	291			
	4		16716	297			
	5		13902	302			
PDZF-1000C-S	1	680	105000	1350	90	70/25	1950
	2		101250	1363			
	3		97500	1375			
	4		93750	1388			
	5		90000	1400			
	1	450	69510	591	83		
	2		67028	597			
	3		64545	602			
	4		62029	608			
	5		59580	613			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-900C-S	1	650	93000	1250	89	70/25	1950
	2		89750	1263			
	3		86500	1275			
	4		83250	1288			
	5		80000	1300			
	1	430	61566	548	82		
	2		59415	553			
	3		57263	558			
	4		55112	564			
	5		52960	569			
PDZF-800C-S	1	627	82100	1210	88	55/18.5	1850
	2		79750	1215			
	3		77400	1220			
	4		75050	1225			
	5		72700	1230			
	1	415	54350	530	73		
	2		52795	532			
	3		51239	534			
	4		49683	537			
	5		48127	539			
PDZF-800C-S	1	630	73500	1050	87	42/32	1377
	2		70125	1063			
	3		66750	1075			
	4		63375	1088			
	5		60000	1100			
	1	420	48657	460	80		
	2		46423	466			
	3		44189	471			
	4		41954	478			
	5		40000	480			
PDZF-800C-S	1	627	72500	1180	87	42/32	1377
	2		69500	1193			
	3		66500	1205			
	4		63500	1218			
	5		60500	1230			
	1	428	48140	521	80		
	2		46009	523			
	3		44023	528			
	4		42037	533			
	5		40051	539			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-500C-S	1	650	75500	860	87	38/17	1371
	2		72875	903			
	3		70250	945			
	4		67625	988			
	5		65000	1030			
	1	431	49990	377	80		
	2		48227	396			
	3		46506	414			
	4		44768	433			
	5		43030	451			
PDZF-700C-S	1	620	70100	1030	87	38/17	1371
	2		66325	1043			
	3		62550	1055			
	4		58775	1068			
	5		55000	1080			
	1	411	46410	451	80		
	2		43907	457			
	3		41408	462			
	4		38909	468			
	5		36410	473			
PDZF-700C-S	1	554	72000	935	85	38/17	1371
	2		69250	939			
	3		66500	943			
	4		63750	947			
	5		61000	950			
	1	369	47670	408	77		
	2		45845	411			
	3		44023	413			
	4		42203	415			
	5		40382	416			
PDZF-650C-S	1	592	65300	860	84	38/17	1371
	2		60225	873			
	3		55150	885			
	4		50075	898			
	5		45000	910			
	1	392	43230	377	76		
	2		39869	382			
	3		36509	388			
	4		33150	393			
	5		29790	399			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-650C-S	1	522	65000	770	85	33/11.0	1320
	2		61250	775			
	3		57500	780			
	4		53750	785			
	5		50000	790			
	1	346	43030	337	77		
	2		40548	339			
	3		38065	342			
	4		35583	344			
	5		33100	346			
PDZF-600C-S	1	556	60100	810	84	33/11.0	1320
	2		55325	844			
	3		50550	878			
	4		45775	912			
	5		41000	945			
	1	368	39700	355	76		
	2		36625	370			
	3		33464	385			
	4		30303	399			
	5		27142	414			
PDZF-500C-S	1	623	55000	1000	83	33/11.0	1320
	2		48875	1025			
	3		42750	1050			
	4		36625	1075			
	5		30500	1100			
	1	412	36410	438	76		
	2		32355	449			
	3		28300	460			
	4		24246	471			
	5		20191	482			
PDZF-500C-S	1	522	50000	670	79	18.5/6.2	1000
	2		45000	695			
	3		40000	720			
	4		35000	745			
	5		30000	770			
	1	346	33100	294	72		
	2		29790	304			
	3		26480	315			
	4		23170	326			
	5		19860	337			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-500C-S	1	470	50500	545	76	18.5/6.2	1000
	2		45625	569			
	3		40750	593			
	4		35875	617			
	5		31000	640			
	1	312	33440	239	69		
	2		30204	249			
	3		26977	260			
	4		23749	270			
	5		20522	280			
PDZF-1500C-S	1	600	125000	1420	90	84/28	2050
	2		116250	1430			
	3		107500	1440			
	4		98750	1450			
	5		90000	1460			
	1	397	82750	622	83		
	2		76958	626			
	3		71165	631			
	4		65373	635			
	5		59580	639			
PDZF-1000C-S	1	580	110000	1375	89	84/28	2050
	2		103500	1389			
	3		97000	1403			
	4		90500	1417			
	5		84000	1430			
	1	384	72820	602	82		
	2		68517	608			
	3		64214	615			
	4		59911	621			
	5		55608	626			
PDZF-900C-S	1	560	90000	1180	87	55/18.5	1850
	2		87500	1198			
	3		85000	1215			
	4		82500	1233			
	5		80000	1250			
	1	370	59580	517	80		
	2		57925	525			
	3		56270	532			
	4		54614	540			
	5		52960	548			

型号	工 况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB(A)	电机 wk	重量 kg
PDZF-850C-S	1	498	85500	975	86	47/16	1850
	2		83000	979			
	3		80500	983			
	4		78000	987			
	5		75500	990			
	1	329	56601	427	79		
	2		54946	429			
	3		53291	431			
	4		52636	433			
	5		49981	435			
PDZF-800C-S	1	560	81000	1100	87	47/16	1850
	2		77000	1123			
	3		73000	1145			
	4		69000	1168			
	5		65000	1190			
	1	370	53622	482	80		
	2		50974	493			
	3		48326	501			
	4		45678	511			
	5		43030	521			
PDZF-750C-S	1	475	75400	785	86	38/17	1990
	2		72800	792			
	3		70200	798			
	4		67600	804			
	5		65000	810			
	1	314	49915	344	79		
	2		48194	347			
	3		46472	350			
	4		44751	352			
	5		43030	355			
PDZF-750C-S	1	525	75000	905	85	38/17	1790
	2		71450	925			
	3		67900	945			
	4		64350	965			
	5		60800	985			
	1	347	49650	396	78		
	2		47299	405			
	3		44950	414			
	4		42599	423			
	5		40248	431			

PDZF-C-S 双速离心式消防排烟风机箱

型号	工况	转速 r/min	风量 m3/h	全压 Pa	噪声 dB (A)	电机 wk	重量 kg
PDZF-800C-S	1	420	78100	710	83	30/10.0	1750
	2		73200	725			
	3		68300	740			
	4		63400	755			
	5		58500	770			
	1	278	51702	311			
	2		48458	318			
	3		45215	324			
	4		41971	331			
	5		38727	337			
PDZF-650C-S	1	470	65300	735	82	30/10.0	1750
	2		62750	752			
	3		60200	768			
	4		57650	784			
	5		55100	800			
	1	311	63229	322			
	2		41541	329			
	3		39852	336			
	4		38164	343			
	5		36476	350			

PDZF-C-S 双速离心式消防排烟风机箱安装尺寸图

