



OUTDOOR FLASHLIGHT



MODEL:106

| | |
|-------------|----------------|
| LED | 12 White LED |
| Battery | 4xD |
| Brightness | 100LM |
| Size | 127.7x174.5mm |
| Weight | 306g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |

This flashlight widely use in camping. The housing material is plastic and switch is durable rubber. Using the 12pcs energy-save LED bulbs. It can supply a constant brilliance.



MODEL:105

| | |
|-------------|----------------|
| LED | 12 White LED |
| Battery | 2xD |
| Brightness | 100LM |
| Size | 127.7x174.5mm |
| Weight | 258g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



RUBBER FLASHLIGHT



524



523



Plastic torch with PC outside and stainless steel pipe inside, high power CREE chip with 2meter drop resistant, also water proof.



stainless still pile for heat dissipation and electric conduction

| MODEL | 523 | 524 |
|-------------|-----------------------|-----------------------|
| LED | CREE XPG +3W COB | CREE XPG3 +3w COB |
| Battery | 3xAAA | 4xAA |
| Brightness | CREE:130LM; COB:130LM | CREE:300LM; COB:150LM |
| Size | Φ43.5x140mm | Φ62x216mm |
| Weight | 75g | 215.3g |
| Operation | CREE ON-COB ON-OFF | CREE ON-COB ON-OFF |
| Accessories | CARRYING STRAP | Magnet Carrying strip |






RUBBER FLASHLIGHT



ABS-Aluminum CREE LED flashlight is a kind of torch with aluminum pipe inside to dissipate the heat easier, ABS material wrapped. It is designed for both saving weight and catching easier. The highest luminous flux is 180 lumens, with three or five functions.

THREE MODES: High-Low-Strobe



Aluminium pipe inside for heat dissipation and electric conduction



MODEL:211

| | |
|-------------|-----------------------------|
| LED | CREE-XPE |
| Battery | 2xAA |
| Brightness | 150LM |
| Size | 43x170mm |
| Weight | 107.5g |
| Operation | HIGH-LOW-QUICK FLASHING-OFF |
| Accessories | CARRYING STRAP |



MODEL:212

| | |
|-------------|-----------------------------|
| LED | CREE-XPE |
| Battery | 2xD |
| Brightness | 200LM |
| Size | 61.5X212.5mm |
| Weight | 264g |
| Operation | HIGH-LOW-QUICK FLASHING-OFF |
| Accessories | CARRYING STRAP |



RUBBER FLASHLIGHT

ABS-Aluminum CREE LED flashlight is a kind of torch with aluminum pipe inside to dissipate the heat easier, ABS material wrapped. It is designed for both saving weight and catching easier. The highest luminous flux is 80 lumens, with three or five functions.

THREE MODES: High-Low-Strobe



MODEL:210

| | |
|-------------|-----------------------------|
| LED | CREE-XPE |
| Battery | 3xAAA |
| Brightness | 80LM |
| Size | 36x107mm |
| Weight | 75g |
| Operation | HIGH-LOW-QUICK FLASHING-OFF |
| Accessories | CARRYING STRAP |



MODEL:218

| | |
|-------------|----------------|
| LED | 7 White LED |
| Battery | 2xD |
| Brightness | 60LM |
| Size | 61.5x212.5mm |
| Weight | 250g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



MODEL:219

| | |
|-------------|----------------|
| LED | 4 White LED |
| Battery | 2xAA |
| Brightness | 30LM |
| Size | 43x170mm |
| Weight | 109g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



Item 218,219 torches with the same inner structure are using energy-saving LED, which could provide a soft light and last for a long period.



RUBBER FLASHLIGHT

RUBBER FLASHLIGHT



RUBBER FLASHLIGHT

Item 215 torch: two usages: one as a portable flashlight to light the road, another way to pull out the head part like using a camping torch.

| MODEL:215 | |
|-------------|-----------------------------|
| LED | CREE-XPE |
| Battery | 3xAAA |
| Brightness | 100LM |
| Size | 42x121mm |
| Weight | 90g |
| Operation | HIGH-LOW-QUICK FLASHING-OFF |
| Accessories | CARRYING STRAP |



THREE MODES:
High-Low-Strobe



2321C

2320C

| MODEL:2320C | |
|-------------|----------------|
| LED | 3W led |
| Battery | 2AA |
| Brightness | 100LM |
| Size | Φ45x163mm |
| Weight | 107.5g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



| MODEL:2321C | |
|-------------|----------------|
| LED | 3W led |
| Battery | 2D |
| Brightness | 180LM |
| Size | Φ65x200mm |
| Weight | 264g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



RUBBER FLASHLIGHT

Rubberized flashlight with white energy-save LED bulbs (also could use Krypton bulbs instead), show the brightness in the darkness. It widely used for camping, patrolling, hunting, arresting, inspecting, securing and so on.



223

| MODEL | 223 |
|-------------|----------------|
| LED | 3 White LED |
| Battery | 2xAA |
| Brightness | 20LM |
| Size | 46x158mm |
| Weight | 92g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



222

| MODEL | 222 |
|-------------|----------------|
| LED | 7 White LED |
| Battery | 2xD |
| Brightness | 60LM |
| Size | 72.4x200mm |
| Weight | 207g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



221

| MODEL | 221 |
|-------------|----------------|
| LED | 7 White LED |
| Battery | 3xD |
| Brightness | 60LM |
| Size | 72.4x259mm |
| Weight | 245g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



RUBBER FLASHLIGHT



Rubberized flashlight with white energy-save LED bulbs, show the brightness in the darkness. The new outer housing is designed for skidproof. It has three colors can be chosen.



MODEL:216

| | |
|-------------|----------------|
| LED | 7 White LED |
| Battery | 2xD |
| Brightness | 60LM |
| Size | 70x202mm |
| Weight | 201g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



MODEL:217

| | |
|-------------|----------------|
| LED | 3 White LED |
| Battery | 2xAAA |
| Brightness | 20LM |
| Size | 43x160mm |
| Weight | 90g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



PLASTIC FLASHLIGHT

Flashlight with durable rubber switch, has energy-save LED Bulbs. It is designed for reducing the self-weight and taking more easier.

MODEL:198

| | |
|-------------|----------------|
| LED | 3 White LED |
| Battery | 2xAAA |
| Brightness | 20LM |
| Size | 42.3x155mm |
| Weight | 48g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



MODEL:199

| | |
|-------------|----------------|
| LED | 7 White LED |
| Battery | 2xD |
| Brightness | 60LM |
| Size | 64x200mm |
| Weight | 116g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



198



199

RECHARGEABLE
ALUMINUM FLASHLIGHT



Screw adjusting the lighting



● Green light indicate for fully charaed
● Red light indicate while charging



Optical lens




Screw design for USB charging indication, anti dust and water resistant

MODEL:907

| | |
|-------------------|---|
| battery | 18650 2000mah lithium battery |
| LED | CREE XPL V4 |
| function | high-low-strobe |
| Switch | Tactical switch |
| focus | rotating focus |
| lumen | 700lm flood light 640lm focus light |
| lens | optical lens |
| SIZE | 36*152mm 36*155mm(after pull) |
| input | 100-240V 50/60hz 0.2a |
| output | 5v1a |
| charging time | 4-5hours |
| running time | 2 hours |
| Water resistance | IP44 |
| Impact resistance | Impact resistance: 2meter |
| Accessory | adapter, USB data line, 2000MAH battery (1;2;3) |



RECHARGEABLE
ALUMINUM FLASHLIGHT



Screw adjusting the lighting



Screw design for USB
charging indication, anti dust
and water resistant



- Green light indicate for fully
charged
- Red light indicate while
charging

| MODEL:908 | |
|------------|---|
| LED | 1xCREE XML-U3 |
| Battery | 1x18650 or 3xAAA |
| Brightness | 450-600LM |
| Size | Φ36 x 172mm |
| Weight | 279.5g |
| Runtime | 5H |
| Operation | HIGH-LOW-FLASHING-OFF USB charging/ charging indication light adjustable by screw |



DURABLE ALUMINUM FLASHLIGHT

NEW

| MODEL | 665 |
|-------------|-----------------------|
| LED | CREE-XPE/XPG |
| Battery | 2xD |
| Brightness | 230LM |
| Size | 56x240mm |
| Weight | 456g |
| Operation | HIGH-LOW-FLASHING-OFF |
| Accessories | CARRYING STRAP |

| MODEL | 666 |
|-------------|-----------------------|
| LED | CREE-XPE/XPG |
| Battery | 2xC |
| Brightness | 180LM |
| Size | 45x199mm |
| Weight | 225g |
| Operation | HIGH-LOW-FLASHING-OFF |
| Accessories | CARRYING STRAP |

| MODEL | 667 |
|-------------|----------------|
| LED | CREE-XPE/XPG |
| Battery | 2xAAA |
| Brightness | 150LM |
| Size | 35.5x179.5mm |
| Weight | 456g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |

| MODEL | 668 |
|-------------|----------------|
| LED | CREE-XPE/XPG |
| Battery | 3xAAA |
| Brightness | 150LM |
| Size | 40x140mm |
| Weight | 140g |
| Operation | NO-OFF |
| Accessories | CARRYING STRAP |



DURABLE ALUMINUM\FLASHLIGHT

Provided with high power, these robust, super-bright flashighits could withstand continuous use exceptional conditions. They are also shock-proof and resistant to great variations in temperature.



MODEL609

LED

CREE-XPE/XPG

Battery

3xD

Brightness

350LM

Size

56x316mm

Weight

502g

Operation

HIGH-LOW-QUICK FLASHING-OFF

Accessories

CARRYING STRAP

MODEL610

LED

CREE-XPE/XPG

Battery

3xC

Brightness

220LM

Size

45x263mm

Weight

301g

Operation

HIGH-LOW-QUICK FLASHING-OFF

Accessories

CARRYING STRAP

MODEL611

LED

CREE-XPE/XPG

Battery

2xD

Brightness

250LM

Size

56x256mm

Weight

456g

Operation

HIGH-LOW-QUICK FLASHING-OFF

Accessories

CARRYING STRAP

DURABLE ALUMINUM FLASHLIGHT

Aluminium torches are robust, super-bright flashlights that withstand continuous use and exceptional conditions. They are also shock-proof and resistant to great variations in temperature.

MODEL612

LED

CREE-XPE/XPG

Battery

2xC

Brightness

200LM

Size

45x214mm

Weight

263g

Operation

HIGH-LOW-QUICK FLASHING-OFF

Accessories

CARRYING STRAP

MODEL613

LED

CREE-XPE/XPG

Battery

2xAA

Brightness

150LM

Size

35.6x185mm

Weight

126g

Operation

HIGH-LOW-QUICK FLASHING-OFF

Accessories

CARRYING STRAP

MODEL614

LED

CREE-XPE/XPG

Battery

3xAAA

Brightness

150LM

Size

40x147.5mm

Weight

177g

Operation

HIGH-LOW-QUICK FLASHING-OFF

Accessories

CARRYING STRAP



DURABLE ALUMINUM FLASHLIGHT

MODEL 607

0cm5cm10cm15cm20cm25cm30cm35cm

0in1in2in3in4in5in6in7in8in9in10in11in12in13in14in

LED

Battery

Brightness

Size

Weight

Operation

Accessories

CREE-XPE/XPG

1x18650

100LM

34x112mm

120g

HIGH-LOW-QUICK FLASHING-OFF

CARRYING STRAP

MODEL 608

0cm5cm10cm15cm20cm25cm30cm35cm

0in1in2in3in4in5in6in7in8in9in10in11in12in13in14in

LED

Battery

Brightness

Size

Weight

Operation

Accessories

CREE-XPE/XPG

3xAAA

150LM

40x115.5mm

138g

HIGH-LOW-QUICK FLASHING-OFF

CARRYING STRAP

MODEL 661/662

0cm5cm10cm15cm20cm25cm30cm35cm

0in1in2in3in4in5in6in7in8in9in10in11in12in13in14in

MODEL 661

LED

Battery

Brightness

Size

Weight

Operation

Accessories

662

CREE-XPE

2xAAA

100LM

19.2x157mm

53g

HIGH-LOW-FLASHING-OFF

CARRYING STRAP

MODEL 663/664

0cm5cm10cm15cm20cm25cm30cm35cm

0in1in2in3in4in5in6in7in8in9in10in11in12in13in14in

MODEL 663

LED

Battery

Brightness

Size

Weight

Operation

Accessories

664

CREE-XPE

2xAAA

90LM

15x140mm

31g

HIGH-LOW-FLASHING-OFF

CARRYING STRAP

ALUMINUM FLASHLIGHT

Portable torches with less heavy makes it more easy to be carried.
Different colors demand could be met with by oxidation of aluminum.



| MODEL | 371 | 372 |
|-------------|-----------------------------|-----------------------------|
| LED | CREE-XPE LED | CREE-XPE LED |
| Battery | 1xAA | 2xAA |
| Brightness | 130LM | 230LM |
| Size | φ26x109mm(119mm after pull) | φ26x158mm(170mm after pull) |
| Weight | 54g | 74g |
| Operation | high-low-flashing | high-low-flashing |
| Accessories | pen clip | pen clip |



| MODEL | 373 | 374 |
|-------------|-------------------|-------------------|
| LED | CREE-XPE LED | CREE-XPE LED |
| Battery | 1xAA | 2xAA |
| Brightness | 130LM | 230LM |
| Size | φ26x116mm | φ26x165mm |
| Weight | 54g | 71g |
| Operation | high-low-flashing | high-low-flashing |
| Accessories | pen clip | pen clip |





ALUMINUM FLASHLIGHT

This Aluminum series, having a mechanical style, taking the rubber as the handle bushing to avoid slipping off. Using the energy-save Led bulbs to supply long-lasting and constant brilliance.



655



656



657



658

| MODEL:657 | |
|-------------|----------------|
| LED | 5White LED |
| Battery | 2xC |
| Brightness | 45LM |
| Size | 45x183.3mm |
| Weight | 162g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



| MODEL:655 | |
|-------------|----------------|
| LED | 3White LED |
| Battery | 3xAAA |
| Brightness | 20LM |
| Size | 39.2x134.6mm |
| Weight | 112g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



| MODEL:656 | |
|-------------|----------------|
| LED | 3White LED |
| Battery | 2xAA |
| Brightness | 20LM |
| Size | 34.5x170.5mm |
| Weight | 87g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |




| MODEL:658 | |
|-------------|----------------|
| LED | 7White LED |
| Battery | 2xD |
| Brightness | 60LM |
| Size | 56x212.7mm |
| Weight | 281g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |




ALUMINUM FLASHLIGHT

| MODEL | 620 | 621 |
|-------------|----------------|----------------|
| LED | 1W LED | 1W LED |
| Battery | 2xD | 2xC |
| Brightness | 65LM | 65LM |
| Size | 43x198mm | 33.3x161.6mm |
| Weight | 192g | 110g |
| Operation | ON-OFF | ON-OFF |
| Accessories | CARRYING STRAP | CARRYING STRAP |



| MODEL | 622 | 623 |
|-------------|----------------|----------|
| LED | 1W LED | 0.5W LED |
| Battery | 3xAAA | 1xAA |
| Brightness | 65LM | 65LM |
| Size | 30.8x133mm | 21x95mm |
| Weight | 108g | 32g |
| Operation | ON-OFF | ON-OFF |
| Accessories | CARRYING STRAP | KEY RING |



620 621 622 623



| MODEL:370 | |
|-------------|----------------|
| LED | 5White LED |
| Battery | 3xAAA |
| Brightness | 45LM |
| Size | 45x183.3mm |
| Weight | 162g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |



| MODEL:690 | |
|-------------|----------------|
| LED | 5White LED |
| Battery | 3xAAA |
| Brightness | 45LM |
| Size | 45x183.3mm |
| Weight | 162g |
| Operation | ON-OFF |
| Accessories | CARRYING STRAP |

