



ANDER MEDICAL



佛山市安蒙医疗器械有限公司

FOSHAN ANMON MEDICAL EQUIPMENT CO.,LTD

1 Second LED Curing Light / 一秒光固化机




AD-1S

- 一秒固化树脂
- 10 W大功率LED
- 光强度大于2000mw/cm2
- 强光、渐亮、脉冲三种工作模式
- 1 Second Solidify
- 10 W Big power LED
- Light Power:More than 2000mw/cm2
- Working modes:Strong, Gradually strong,Flashing

Technology data:

- Working Voltage:AC100-220V 50-60Hz.
- Wavelength:420-480nm
- Full charging,can be used for more than 200 times



1 SECOND CURING



AD-LEX2

- 铝金属材质外壳
- 5W大功率LED
- 强光、渐亮、脉冲三种工作模式
- Aluminum metal
- 5W Big power LED
- Working modes:Strong, Gradually strong,Flashing

Technology data:

- Capaility of battery:2200mA / 3.7V-4.2V
- Working Voltage:AC100-220V 50-60Hz.
- Wavelength:420-480nm
- Light power:1200-1500 mw/cm2
- Solidification time and depth:5s/3mm
- Full charging,to work for 10 seconds each time, can be used continuously for more than 500 times



AD-LE08

- 三合一光固化（双色灯）
- 5W大功率LED
- 白光测光功能
- 自带测光功能
- 强光、半光、渐亮、脉冲四种工作模式
- 3 in 1 LED Curing Light
- 5W Big power LED
- Working modes:Strong, Low,Gradually strong,Flashing

Technology data:

- Capaility of battery:2200mA / 3.7V
- Working Voltage:AC100-240V 50-60Hz.
- Wavelength:420-480nm
- Light power:more than 1600 mw/cm2
- Solidification time and depth:5s/3mm
- Full charging,to work for 10 seconds each time, can be used continuously for more than 500 times



- 无线充电功能
- 5W大功率LED
- 自带测光功能
- 冷光美白功能
- 强光、半光、渐亮、脉冲四种工作模式
- Wireless Charging
- 5W Big power LED
- Teeth Whitening
- Working modes: Strong, Low, Gradually strong, Flashing

AD-LE09

Technology data:

- Capacity of battery: 2200mA / 3.7V
- Working Voltage: AC100-240V 50-60Hz.
- Wavelength: 420-480nm
- Light power: more than 1600 mw/cm
- Solidification time and depth: 5s/3mm
- Full charging, to work for 10 seconds each time, can be used continuously for more than 500 times



AD-LE12



AD-LE07



AD-N5C



AD-LE02



AD-LE04

AD-LE05

- 光固化灯

- LED CURING LIGHT



AD-LEX1



AD-LE03



AD-LE01



AD-B



AD-LE06

LM-01



LM02



LM03



Light Meter



European charge
欧式充电器



American charge
美式充电器



LED Lamp
LED灯



18650 Lithium battery
18650 锂电池



AD-MR03

打磨机带直机

Micro Motor With Straight Handpiece

Power/功率: 65W

Rotated Speed /转速: 0-35,000 RPM

Voltage /电压: AC110V/220V 50/60HZ

Bur dimension /适用车针: 2.35mm

Current/电流: 110V:2A 220V:1A

Output /输出: DCO-32V



AD-MR05B



AD-MR08



AD-MR04



AD-N8

(N8 Micro Motor+E-Type Handpiece)



AD-210



AD-MR06

(Micro Motor+E type +Straight+Contra)



EM01

-Technical Data 主要技术参数

Battery / 电池: 7.2V/1500mAh

Adaptor / 电源适配器: ~100V-240V 1.5A 50Hz/60Hz

Rotation Speed / 转速: 200~600 rpm

Torsion / 扭力: 0.6~4.0 N.cm

Buzzer Alert / 警报:

The buzzer will alert when the file is less than 2 mm closed to the apex / 根管锉在距离根尖小于2mm时会有报警声提示

- German Motor, low noise and vibration
德国进口低噪低振马达
- Large colorful OLED screen, all angles visible
彩色OLED 屏幕, 视角可调
- Four working modes / 四种工作模式:
 1. Root-canal length measuring / 单独根管长度测量功能
 2. Root-canal enlargement / 单独根管扩大功能
 3. Reciprocating rotary motion / 往复旋转功能
 4. Both root-canal length measuring and enlargement
带根管测量的根管扩大功能
- Six functions: Multi-Frequency length measuring, Enlargement, Automatic inversion in apical zone, Reciprocating motion, Automatic deceleration in apical zone, Automatic start/stop
多频根测、常规扩大、根尖自动反转、左右回旋、根尖自动减速、自动正传/停止

EM02

16: 1



Main Unit/主机

Battery Voltage/电池电压: DC 3.7V

Battery Capacity/电池容量: 1050mAh

Preset Programs/预设程序: 9 types

Working Modes/工作模式: 4 modes

Standard Configuration Contra Angle/标配弯机: 16: 1

Rated input voltage/额定电压: AC110-220V ,50-60Hz


Output voltage/输出电压: DC 5V

Output current/输出电流: 1A

Ratio	RPM	Torque(N.cm)
1:1	2000-9000	-
10:1	200-900	0.2-2.2
16:1	140-550	0.3-3.0
20:1	100-450	0.4-4.0



EM03





RPEX6

- 多频独立网络根尖定位技术, 开机自动校准, 保证测量精度。
- 超大彩色液晶屏, 触摸按键, 多重颜色清晰指示根管锥在根管中的移动轨迹,
- 高容量电池可反复充电, 续航时间更长
- 主要配件: 挫夹, 唇挂钩和探针均可高温高压灭菌消毒, 避免交叉感染。;
- 显示屏视角可灵活调节

- Accuracy: America made high quality chip, digital measurement and multi-frequency measuring technology.
- Anti-interference, measuring results is not affected by different kinds of teeth or root canal environment.
- Rechargeable lithium battery with high capacity, standby time can up to 6 months,.
- Large colored display, visual angle can be adjusted flexible.
- Integral panel with touch inductive buttons, easy to clean and prevent cross infection.

Technical Specification/技术参数：

电池/Battery: 3.7V/2000mAh

重量/Weight : 446g


尺寸/Dimensions: 131*75*105mm



The White Region of Instruction bars on the Screen is the Front Region of The Apical Foramen.




The file position is near by the apical foramen When the green bars displayed.



The file exceed the apical foramen the screen will display "--" and make a continuous beep sound.



AD-G1



AD-AP2 (Battery Type)

- □腔观察仪

- INTRA ORAL CAMERA



AD-NG03

- *17 inch HD Monitor (5.0 Mega Pixel)
- *Image sensor: CMOS1/4
- *Operating system: Embedded operating system
- *Key Mode: 5 Keys
- *Screen Resolution: 1280*1024
- *Picture display: 1 picture/4 pictures/16 pictures
- *System operation: Remote control/Key control
- *Storage Mode /Capacity: USB / 32G
- *Other function: Image and playback
- *Focus range: 5mm-50mm
- *Power Consumption: 30W

With WIFI, Aluminum Alloy Armrest Support




AD-NG01



AD-NG04
(Colorful)



- *17寸高清显示屏 (500万像素)
- *图像传感器: CMOS1/4高清传感器
- *操作系统: 嵌入式操作系统
- *按键方式: 五键按键
- *屏幕像素: 1280*1024
- *显示画面: 单画面/四画面/十六画面
- *Wi-Fi传输: 直接和电脑无线连接(选配)
- *存储方式/容量: 自动存储到U盘 / 32G
- *其他功能: 红外遥控控制功能
- *手拍聚焦范围: 5MM-50MM



AD-NG02



Aluminum Alloy Armrest
铝合金支架

- INTRA ORAL CAMERA



AD-NG05

- *17 inch Monitor (3.5 Mega Pixel)
 - *Image sensor: CMOS1/4
 - *Operating system: Embedded operating system
 - *Key Mode:4 Keys
 - *Screen Resolution:1280*1024
 - *Picture display: 1 picture/4picture
 - *System operation: Remote control/Key control
 - *Storage Mode /Capacity: SD Card /32G
 - *Connect Way:VGA Connector
- Without WIFI**



(5.0 - MEGA PIXEL)

AD-NG07

- *Image sensor: CMOS1/4
- *Operating system: Embedded operating system
- *Key Mode:5 Keys
- *Picture display: 1 picture/4picture/16 pictures
- *System operation: Remote control/Key control
- *Storage Mode: USB Storage
- *Storage Capacity :32G
- *Focus range: 5mm-50mm



AD-NG08

(5.0 - MEGA PIXEL)



Operating System:
Windows/ Android



AD-NG06

(5.0 - MEGA PIXEL)

- 高频牙科X射线机

- DENTAL X-RAY UNIT



AD-HS08B

便携X射线机 / Portable X Ray Unit



AD-HS08D



AD-Q01

便携X射线机 / Portable X Ray Unit



AD-Q02



AD-HS13

立式X射线机 / X Ray Unit



AD-HS13B

墙挂式X射线机 / Hanging Type X Ray Unit



AD-HS09B

传感器 / Sensor

AD-04A



4 LEDS (四珠口腔灯)

AD-04B



4 LEDS (四珠口腔灯)

AD-006



6 LEDS (六珠口腔灯)

AD-ST9L



9 LEDS (九珠口腔灯)

AD-ST4L



4 LEDS (四珠口腔灯)

AD-ST6L



6 LEDS (六珠口腔灯)


AD-H005



Halogen Oral Lamp(Plastic)


卤素口腔灯 (塑料款)

R1



B:ø152mm

S1



149*110mm

- 洁牙机系列

- SCALER SERIES



AD-A3



AD-A5



RDT01



N1 Built-in Scaler
N1内置超声波洁牙机



N2 Built-in Scaler
N2 内置超声波洁牙机



Scaler Tips
工作尖



AD130

WITH LED



AD131B

2/4 Holes



AD132

气动洁牙机/Air Scaler



11-04

One to One Air Compressor/一拖一空压机

Voltage/电压 : 220VAC 50HZ

Power/功率 : 545W Currency/电流 : 2.4A

Frequency/频率 : 70L/Min

Air tank volume/ 储气罐容积 : 32L

Noise/噪音 : 55-62db

Starting Pressure/启动压力 : 0.5Mpa

Capacity Pressure/额定排气压力 : 0.8Mpa

Packing Size/包装尺寸 : 43*43*70cm G.W.:27KGS

One to Two Air Compressor/一拖二空压机

Voltage/电压 : 220VAC 50HZ

Power/功率 : 840W Currency/电流 : 3.7A

Frequency/频率 : 105L/Min

Air tank volume/ 储气罐容积 : 32L

Noise/噪音 : 58-64db

Starting Pressure/启动压力 : 0.5Mpa

Capacity Pressure/额定排气压力 : 0.8Mpa

Packing Size/包装尺寸 : 43*43*70cm G.W.:29KGS

11-05



11-06

One to Three Air Compressor/一拖三空压机

Voltage/电压 : 220VAC 50HZ

Power/功率 : 1090W Currency/电流 : 4.8A

Frequency/频率 : 140L/Min

Air tank volume/ 储气罐容积 : 60L

Noise/噪音 : 65-68db

Starting Pressure/启动压力 : 0.5Mpa

Capacity Pressure/额定排气压力 : 0.8Mpa

Packing Size/包装尺寸 : 90*44*77cm G.W.:66KGS

- 移动涡轮机/移动治疗台

- MOBILE DENTAL UNIT



内置式储气罐
Built-in gas tank



9-01

便携涡轮机

- 电压：220V 50/60HZ
- 功率：550W
- 噪音：70-75dB
- 重量：25kgs
- 包装尺寸：53*35*53cm

Optional:
Dental handpiece,
Scaler ,LED Curing Light

PORTABLE UNIT

- Voltage: 220V 50/60HZ
- Power: 550W
- Noise : 70-75dB
- Weight: 25kgs
- Packing Size: 53*35*53cm



9-03

便携涡轮机

- 电压：220V 50/60HZ
- 功率：550W
- 噪音：70-75dB
- 重量：33kgs
- 包装尺寸：53*42*70cm

Optional:
Dental handpiece,
Scaler ,LED Curing Light

PORTABLE UNIT

- Voltage: 220V 50/60HZ
- Power: 550W
- Noise : 70-75dB
- Weight: 25kgs
- Packing Size: 53*42*70cm



B009

AD-B005

移动治疗台 / Mobile Dental Unit



工具盘 1

- 600ML 净水箱
- 气泵8里
- 接自来水的8厘水管
- 储气缸出气口
- 接简易空压机接口
- 储气缸进气口
- 8可调节高度大约9CM
- 弱吸排污管
- 10 储气缸12L
- 11 简易空压机
- 12 底座
- 13 脚轮

AD-B017

移动治疗台 / Mobile Dental Unit



小涡轮机 / TURBINE



T10-10
壁挂涡轮机/Hanging type Turbine



T10-11



T10-12
金属涡轮机 /Metal Turbine



T10-13
塑料涡轮机 /Plastic Turbine

- 其他热销牙科器材

- OTHER HOT SALE EQUIPMENTS

2-01



注油机 /Lubricator

4-01



封口机 /Sealing Machine

3-01



不锈钢封口机 /Sealing Machine(S.S.)

AD-HS10



高温高压灭菌器
High Temperature & Pressure Autoclave

AD-HS11



三次预真空消毒灭菌器
Triple Vacuum Autoclave

AD-HS12



紫外线灭菌柜
Ultraviolet Sterilizer

A Type



B Type



AD-HS15



AD-HS14

牙齿美白仪 /Teeth Whitening Unit



AD-HS15ST



AD-HS01

Gutta Cutter / 牙胶切割器



AD-HS02

Obturation Pen / 热熔填充笔



NEW
AD-JS02B

Obturation Pen / 热熔填充笔



AD-LP01 (2.5X / 3.5X)
Dental Loupe/放大镜



AD-RS01
Resin Heater / 树脂加热器



AD-HS06
Amalgamator / 银汞混合机



AD-HS04
PLASTIC

4L 蒸馏水机 (塑料款)
4L Water Distiller(Plastic)



AD-HS05
Stainless Steel

4L 蒸馏水机 (不锈钢款)
4L Water Distiller(S.S)



AD-JM5

超声波清洗机 (2.5L)
Ultrasonic Cleaner (2.5L)

- 综合治疗台
- DENTAL UNIT

AD-8000



标配/Configuration:

- 24V静音直流电机/24V Silence DC Motor
- 扶手/Armrest: 2个/ PCS
- 三用喷枪(冷、热)各一套 /3 Way Syringe(Cold & Hot):1 Set Each
- 强、弱吸唾器各一套 /Strong,Weak Suction: 1 Set Each
- LED观片灯一套 /LED Film Viewer :1 Set
- 口腔灯(卤素灯) /Halogen operation lamp:1 PC
- 玻璃痰盂 /Glass Cuspidor:1 Set
- 自动恒温漱口供给系统一套 /Auto Bowl Rinsing and filling :1 Set
- 手机净水系统 /Water Purified system of Handpiece:1 Set
- 副控系统/Assistant control system : 1 Set
- 脚踏开关一套 /Foot Switch:1 Set
- PU皮垫一套 /PU Cushion :1 Set
- PU医生椅一套 /PU Doctor Chair:1 Set

技术参数:

- 电源电压/Voltage of Power Supply : AC220V 50HZ
- 电机电压/Voltage of Motor: DC24V
- 气源气压/Air Pressure:0.5-0.8 Mpa
- 水源水压/Water Pressure:0.2-0.4 Mpa

AD-8000UP



标配/Configuration:

- 24V静音直流电机/24V Silence DC Motor
- 扶手/Armrest: 2个/ PCS
- 三用喷枪(冷、热)各一套 /3 Way Syringe(Cold & Hot):1 Set Each
- 强、弱吸唾器各一套 /Strong,Weak Suction: 1 Set Each
- LED观片灯一套 /LED Film Viewer :1 Set
- 口腔灯(LED) /LED operation lamp:1 PC
- 玻璃痰盂 /Glass Cuspidor:1 Set
- 自动恒温漱口供给系统一套 /Auto Bowl Rinsing and filling :1 Set
- 手机净水系统 /Water Purified system of Handpiece:1 Set
- 副控系统/Assistant control system : 1 Set
- 脚踏开关一套 /Foot Switch:1 Set
- PU皮垫一套 /PU Cushion :1 Set
- PU医生椅一套 /PU Doctor Chair:1 Set

技术参数:

- 电源电压/Voltage of Power Supply : AC220V 50HZ
- 电机电压/Voltage of Motor: DC24V
- 气源气压/Air Pressure:0.5-0.8 Mpa
- 水源水压/Water Pressure:0.2-0.4 Mpa

AD-9000




标题/Configuration:

- 24V静音直流电机/24V Silence DC Motor
- 扶手/Armrest: 2个/PCS
- 三用喷枪(冷、热)各一套 /3 Way Syringe(Cold & Hot):1 Set Each
- 强、弱吸唾器各一套 /Strong,Weak Suction: 1 Set Each
- LED观片灯一套 /LED Film Viewer :1 Set
- LED口腔灯 /LED Operation lamp:1 PC
- 玻璃痰盂 /Glass Cuspidor:1 Set
- 自动恒温漱口供给系统一套 /Auto Bowl Rinsing and filling :1 Set
- 手机净水系统 /Water Purified system of Handpiece:1 Set
- 副控系统/Assistant control sytem : 1 Set
- 脚踏开关一套 /Foot Switch:1 Set
- PU皮垫一套 /PU Cushion :1 Set
- PU医生椅一套 /PU Doctor Chair:1 Set

技术参数:

- 电源电压/Voltage of Power Supply : AC220V 50HZ
- 电机电压/Voltage of Motor: DC24V
- 气源气压/Air Pressure:0.5-0.8 Mpa
- 水源水压/Water Pressure:0.2-0.4 Mpa



AD-DC203



AD-DC204



AD-DC205



AD-SA01



AD-SA02



AD-600-1DM



AD-600DM



AD-SA03



AD-500D



AD-500-1D



AD-SA04



AD-500N



AD-90BN



AD-G1



AD-G2



Y001

SIZE:84*49*53CM

移动边柜 /Mobile Cabinet
Three drawers with socket

柜身材料：不锈钢
台面：钢化玻璃
可刹车锁定轮子

Material :Stainless Steel
Material of the Table :
Tempered Glass
Caster with brake



Y002

SIZE:84*50*50CM

移动边柜 /Mobile Cabinet
Five drawers



Y0010B

SIZE:86*50*50CM

移动边柜 /Mobile Cabinet
Five drawers

柜身材料：不锈钢
台面：大理石
可刹车锁定轮子

Material :Stainless Steel
Material of the Table : Marble
Caster with brake



Y008

SIZE:86*50*50CM

移动边柜 /Mobile Cabinet
Five drawers

- 手机管

- HANDPIECE TUBE



六孔手机管 (T1)
6 Holes Handpiece Tube



2/4孔手机管 (T2)
2/4 Holes Handpiece Tube



2/4孔手机管 (T3)
2/4 Holes Handpiece Tube



2/4孔螺旋手机管 (T4)
2/4 Holes Handpiece Tube



螺旋手机管不带接头 (T5)
Handpiece Tube without Connector



三用枪管 (T6)
Syringe Tube



强吸管 (T7)
Strong Suction Tube



弱吸管 (T8)
Weak Suction Tube



2/4孔脚踏管 (T9)
2/4 Holes Foot Control Tube



AD-19-01
按压式枕头架/Headrest

单手按压式操作/ Push Operation
345°角可任意调节/345° Adjustable
采用最新齿轮传动技术/Latest technology
of gear driving
全金属构造/All Metal Structure

AD-8-05
(Φ45/50mm)



纸巾盒子 /Tossie Box
颜色/Color : 蓝色, 绿色, 粉色, 白色 / Blue,Green,Pink ,White

AD-8-09
(Φ45/50mm)



座式水杯桶/Cup Holder

AD-8-01
(Φ45/50mm)



三合一纸巾盒/3 in 1 Tissue Box

Φ45/50mm



AD-8-12
三合一纸巾盒/3 in 1 Tissue Box(New)

(Φ45mm)



AD-8-13
单独弧形托盘/Curved Tray

(Size Adjustable)



AD-8-14
单独可调式方形托盘/Square Tray





21-01
三联膜片阀/3 in 1 Valve



21-02
四联膜片阀/4 in 1 Valve



21-03 (22/27mm)
六角压水阀/Pressure Valve




21-04
方形压水阀/Pressure Valve



21-05
F / T 型水调节阀(3mm/5mm)
F / T Type Regulation Valve




21-06
膜片阀膜片
Membrane




21-07
六角压水阀膜片
Membrane



21-08
牙椅电磁阀
Magnetic Valve



21-09 (Φ10)
常开挂架阀
Normal Open Hanging Valve



21-10
常闭挂架阀
Normal Close Hanging Valve



21-11
方形挂架阀
Hanging Valve



21-12
水气快接阀
Water air Quick Connector



21-13
强吸/Strong Suction



21-14
强吸/Strong Suction



21-15
强吸/Strong Suction



21-16
强吸/Strong Suction



弱吸/Weak Suction



弱吸/Weak Suction




弱吸/Weak Suction



弱吸/Weak Suction



21-17
强/弱吸转换接头
Strong/Weak Suction Connector



21-18
强/弱吸管
Strong/Weak suction Tube



21-20 弱吸
21-19 强吸
新款强吸/弱吸
New Strong/Weak Suction



22-10
总气开关
Main Air Switch



22-02
气控电开关
Electrical Valve



22-03
简易减压阀
Pressure Reducing Valve



22-04
拔动式水源转换开关
Water Exchange Switch



22-05
旋转式水源转换开关
Water Exchange Switch



22-02
推拉式水源转换器
Water Exchange Switch



22-03
吹屑器
Blowing Debris Valve (Long)



22-04
强/弱吸阀
Strong/Weak Suction Valve



22-05
4孔/4 Holes 2孔/2 Holes
圆形脚踏阀
Foot Pedal Valve



22-10
气锁开关/Air Switch



22-11
单向阀/One-Way Valve



22-12
多功能脚踏阀/Foot Pedal Valve




22-13
集成阀/Integrated Valve



22-14
集成阀/Integrated Valve



22-15
集成阀/Integrated Valve




22-16
换向阀/Direction Valve




22-19
下水多通/Adaptor




22-20 冲供水
Ceramic Pipe



23-01 金属水气接头
Metal Water Air Connector




23-02 金属水气接头
Metal Water Air Connector



23-03 金属水气接头
Metal Water Air Connector



23-04 快拧接头
Quick Twist Connector




23-05 快拧接头
Quick Twist Connector

Φ4.2 mm / Φ6.2 mm



23-06 管套
Cover



23-07 塑料接头
Plastic Connector



23-08 快接头
Quick Connector



23-09 快接头
Quick Connector



Model: 23-10
水气管/PU Tube

3*2mm,200m/Roll

4*2.5mm,200m/Roll

6*4mm,200m/Roll

8*5mm,100m/Roll



23-19 水过滤器
Water Filter



23-20 强弱吸过滤器
Strong /Weak Suction Filter



23-21
一体式强弱吸过滤器
Suction Filter



23-22
强吸消声器
Strong Suction Silencer



24-01
痰盂过滤网
Spittoon Filter



24-02
痰盂漏斗四件套
Spittoon Funnel 4 Piece SET



直式
24-03
痰盂漏斗四件套
Spittoon Funnel 4 Piece SET



24-04
方形气压表
Gas-Pressure Meter



24-06
观片灯
Film Viewer



24-07
热水器
Water Heater



24-08
四孔圆形脚踏开关
4 Holes Foot Control



24-09
两孔圆形脚踏开关
2 Holes Foot Control



24-10
新款多功能脚踏开关
Multi Function Foot Control



24-11
电控多功能脚踏开关
Multi Function Foot Control



24-12
气孔多功能脚踏开关



24-13
空气减压阀
Air Reducer



24-14
空气减压阀
Air Reducer



24-15
储水瓶(600ML)
Storage Bottle



24-16
储水瓶 (600/1000ML)
Storage Bottle



24-17
瓶盖
Bottle Cover




24-18
回气瓶/Air Bottle




24-19
变压器200W/Transformer




24-20
五联挂架盒/Handpiece Holder



24-21
单联挂架盒/Handpiece Holder



24-22
痰盂/Spittoon (Φ50)



24-23
玻璃托盘/Glass Tray



24-24
新款痰盂/New Type Spittoon



AD 1-01 直式三用枪
Three Way Syringe



AD1-01C

浅蓝色
Light Blue
绿色
Green
深蓝色
Dark Blue

弯式三用枪
Three Way Syringe



AD-1-01

SPL1



三用枪喷杆/Syringe Tips



AD-AP15

塑料喷砂枪/Plastic Air Polisher



AD-AP16



金属喷砂枪/Metal Air Polisher



Niti Arch Wire
Ovoid / Nature / Square

PM01 (10 pcs /Bag)



Heat-Activated Niti Arch Wire
Ovoid / Nature / Square

NA02 (5 pcs /Bag)



Stainless Steel Arch Wire
Ovoid / Nature / Square

NA03 (10 pcs /Bag)



Niti Reverse Curve Arch Wire

RC04 (2 pcs /Bag)



Niti Open Spring

NA04 (2 pcs /Bag)



Niti Close Spring

NA05 (10 pcs /Bag)



Lingual Retainers
Universal ,With Mesh
Width 2.0mm ,1.2mm

NA06



Lingual Buttons
Weldable / Bondable
Round Base

NA07 (10 pcs /Bag)



Monoblock
Edgewise
Roth /MBT

Metal Bracket (cardboard packing)

0.018 / 0.022 Slot

No Hook /3 Hook /345 Hook

NA08 (20 pcs /Set)



Edgewise
Roth /MBT

Metal Bracket (Plastic Box)

0.018 / 0.022 Slot

No Hook /3 Hook /345 Hook

NA09 (20 pcs /Set)



Edgewise
Roth /MBT

Ceramic Bracket (Plastic Box)

0.018 / 0.022 Slot

No Hook /3 Hook /345 Hook

NA10 (20 pcs /Set)



Self ligating Bracket

NA11



Power Chain
Long / Short / Continue
4.5M /Spool

NA12



Ligate Elastomeric
1008 pcs / Bag

NA13



Top Series Ligate Elastomeric
1040 pcs / Bag

NA14



Separator Elastomeric
700 pcs/ Bag
Only Blue Color


NA15



1 st Molar Buccal Tube
Roth / MBT
Mesh Base
DM 001



Molar Band
4 PCS /BAG
DM 002



Orthodontics Wax
DM 003



Elastics (Latex)
3.5 OZ, 5.0 OZ, 6.5 OZ
DIA: 1/8 ,3/16 ,1/4 ,5/16 ,3/8
DM 004



Ligature Gun
1 PC/ SET
DM 005



Polish Brush
100 PCS/ BOX
DM 006



Polish Cup
100 PCS/ BOX
DM 007



Polish Brush & Cup (Mix)
100 PCS/ BOX
DM 008




Disposable Tweezer
50 PCS/ BAG
DM 009



Disposable Mirror
100 PCS/ BAG
DM 010



Disposable Probe
100 PCS/ BAG
DM 011



Disposable Kit
Tweezer +Mirror +Probe +Scarf
DM 012




Silicone Mixing Tip
50 PCS/ BAG
DM 013



Micro Applicator
100 PCS / Bottle
DM 014



Mixing Gun
1 PC / SET
DM 015



Measuring Block
1 PC / SET
DM 016



Root Canal Post
Stainless Steel
120 PCS / 240 PCS

PB08




Root Canal Post
Golden Plated
120 PCS / 240 PCS

PB09



Root Canal Post
Titanium
120 PCS / 240 PCS

PB10



Resin Teeth

RT01




Gutta Percha Points

PB07



Absorbent Paper Points

PB07B



Metal Impression Tray
10 PCS/ BAG

MT1



Plastic Impression Tray
10 PCS/ BAG

MT2



Alginate Impression Material
500g / BAG

MT3



Alginate Impression Material
454g / BAG

MT4



Cleaning Powder
130g /Bottle

MT5



Handpiece Oil
550ml /Bottle

MT6



Rubber Bowl
Big / Medium / Small

MT7



Bite Block
Big / Medium / Small

MT8



Pulp Tester

MT9



Oral Light

MT10



安德医疗器械有限公司

ANDER MEDICAL EQUIPMENT CO.,LTD

佛山市安蒙医疗器械有限公司

FOSHAN ANMON MEDICAL EQUIPMENT CO.,LTD

地址：广东省佛山市南海区狮山镇罗村街道华南五金城21座450-454

ADD:NO.450-454,BUILDING 21,HUANAN WUJIN CHENG,LUOCUN,NANHAI
FOSHAN,GUANGDONG ,CHINA

TEL:+86-757-86408261 /+86-757-86408271 FAX:+86-757-86408271

EMAIL: SALES@ANDERMED.COM INFO@ANDERMED.COM

WWW.ANDERMED.COM