



ANDER DENTAL

# ANDER MEDICAL



PRODUCT CATALOG

# ANDER MEDICAL

## ABOUT US:

ANDER MEDICAL EQUIPMENT CO., LIMITED is located in Foshan, China. We are the supplier of Dental Products for more than 6 years. Our main products is Dental handpiece, LED Curing light, Induction Lamp, Micro Motor Portable Unit, Lubricator ,Apex Locator and other dental equipment and accessories.

Our Main Market is European, South America, Middle East and Russia. We believe that the competitive price, excellent quality, on time delivery and superior after sales service will be promoted us to the great success. We are looking forward to establish a long-term relationship with you on the basis of mutual benefits.

## Why choose us

### Manufacture Costs

The lower cost of labor and raw material costs makes our price more competitive. We always provide the best Price/Quality ratio for our products.

### Freight Costs

The lower cost of shipping, we are located in seaport city, it's very convenient to ship our products to any places in the world.

### Long-term Partnership

We do hope to establish long-term relations with your company

## We care about you. We treat every customer like god

- In pre-order, we try our best to give you very detailed answers for every question you ask.
- After order, we run the manufacture process carefully and professionally. We frequently report you with the order status.
- When nearly finish, we quality control every single product you have ordered before we carefully package them. Any product does not match your standard will not be send out.
- In every order, you will receive extra free components.
- After loading, we will provide you with detailed loading photos, also loading videos will be uploaded to Youtube for you to view. We frequently report you with the updated shipment status.
- After sale, we offer you professional technical support and a very efficient service. We will not let you wait long.
- We treat every customers the same. We provide the same service to customer who ordering 1 piece or 1000 pieces



- |         |       |   |
|---------|-------|---|
| 01 - 08 | ----- | Dental Handpiece/牙科手机                     |
| 09 - 11 | ----- | LED Curing Light /光固化机                    |
| 12 - 13 | ----- | Endodontic Treatment/根管治疗仪                |
| 14      | ----- | Micro Motor/打磨机                           |
| 15      | ----- | -Air Compressor/空压机                       |
| 16      | ----- | -Lubricator, Portable Unit/注油机, 涡轮机       |
| 17      | ----- | -Dental Lamp/口腔灯                          |
| 18 - 20 | ----- | -Other Hot Sale Dental Equipment/其他热销牙科器材 |
| 21      | ----- | -Dental Scaler/洁牙机                        |
| 22 - 23 | ----- | -Dental Chair ,Unit/综合治疗台                 |
| 24      | ----- | -Dental Stool/医师椅                         |
| 25 - 26 | ----- | -Dental Cabinet /移动边柜                     |
| 27      | ----- | -Handpiece Tube/手机管                       |
| 28      | ----- | -Handpiece Accessories/牙科手机配件             |
| 29-34   | ----- | -Dental Chair Accessories/治疗机配件           |
| 35      | ----- | -Dental Material/牙科材料                     |
| 36-37   | ----- | -Bur Series/车针系列                          |
| 38      | ----- | -Dental File Series/根管锉系列                 |



新型白光灯

## 光纤快接手机

LED光源和发电机设在快换接头内部，与手柄分离，快换接头免消毒，减少灯坏现象，使用寿命更长...



光纤手机在未来将会全面取代风光手机，光纤手机其特点在于LED光源和发电机在快换接头的内部，与手柄分离式设计，使用后只需把手柄单独消毒即可，从而避免高温消毒后对发电机的损坏而导致出现灯不亮的现象，使用更方便，寿命更长。

Optic fiber handpiece will be more and more popular to the market, it will be instead of led generator handpiece in the future soon .  
Optic fiber handpiece, with led lamp and air motor are inside of quick coupling, and separation of hand holder unique design. Air motor no need autoclave, led lamp no easy to be problem, be more convenient and longer using time.



AD-05

大头/中头

Torque Head /Standard Head



AD-05B

迷你头

Mini Head



光纤手机, 带灯, 带快接, 按压/取针, 两孔/四孔

Fiber Optical Handpiece, With LED, Quick-Coupler, Push Button/Wrench, 4/2 Holes



AD-05C

中头

Standard Head



AD-05D

迷你头

Mini Head



光纤手机, 带灯, 带快接, 按压/取针, 两孔/四孔

Fiber Optical Handpiece, With LED, Quick-Coupler, Push Button/Wrench, 4/2 Holes



The Quick-Coupler can be connect to KAVO Handpiece 快接头与KAVO兼容

工作气压/Working Air Pressure: 0.20mpa-0.3mpa

适用车针/Bur Applicable:  $\Phi$ 1.595-1.600mm

转速: Rotation Speed: 35,000-400,000 r.p.m.

噪音/Noise:  $\leq$  60db

机芯 (标头) 与 Max Plus 兼容

Cartridge (Standard Head) is compatible with Max Plus

- 高速手机

- HIGH SPEED HANDPIECE



AD-02

大头/中头

Torque Head /Standard Head



AD-02A

大头/中头

Torque Head /Standard Head



AD-02: 带灯, 带快接, 按压/取针, 两孔/四孔

With LED,Quick-Coupler ,Push Button/Wrench,4/2 Holes

AD-02A: 不带灯, 带快接, 按压/取针, 两孔/四孔

Without LED,With Quick-Coupler ,Push Button/Wrench,4/2 Holes



AD-02C

标头

Standard Head



AD-09M

迷你头  
Mini Head



AD-02C: 带灯, 带快接, 按压/取针, 两孔/四孔

AD-02C: With LED,Quick-Coupler ,Push Button/Wrench,4/2 Holes

AD-09M: 按压/取针, 两孔/四孔

AD-09M: With LED,Push Button/Wrench,4/2 Holes

工作气压/Working Air Pressure:0.20mpa-0.3mpa

适用车针/Bur Applicable:Φ1.595-1.600mm

转速: Rotation Speed:35,000-400,000 r.p.m.

噪音/Noise:≤60db

轴承/Bearing: 陶瓷轴承/Ceramic Bearing

按压/取针,Push Button/Wrench



AD-K05

大头/中头

Torque Head /Standard Head



AD-06

大头/中头

Torque Head /Standard Head



带灯/不带灯, 按压/取针, 两孔/四孔

With LED/Without LED, Push Button/Wrench, 4/2 Holes



AD-N02L

大头/标头

Torque Head /Standard Head



AD-MN22

迷你头  
Mini Head



AD-N02L: 带灯, 按压/取针, 两孔/四孔

AD-MN22: 按压/取针, 两孔/四孔

AD-N02L: With LED, Push Button/Wrench, 4/2 Holes

AD-MN22: Push Button/Wrench, 4/2 Holes

工作气压/Working Air Pressure: 0.20mpa-0.3mpa

适用车针/Bur Applicable:  $\Phi$ 1.595-1.600mm

转速: Rotation Speed: 35,000-400,000 r.p.m.

噪音/Noise:  $\leq$ 60db

轴承/Bearing: 陶瓷轴承/Ceramic Bearing

按压/取针, Push Button/Wrench



- 高速手机

- HIGH SPEED HANDPIECE



AD-N02

大头/中头  
Torque Head /Standard Head



AD-31

标头  
Standard Head



按压/取针, 两孔/四孔

Push Button/Wrench,4/2 Holes



AD-T3

中头  
Standard Head



AD-21

标头  
Standard Head



按压/取针, 两孔/四孔

Push Button/Wrench,4/2 Holes

工作气压/Working Air Pressure:0.20mpa-0.3mpa

适用车针/Bur Applicable:Φ1.595-1.600mm

转速 : Rotation Speed:35,000-400,000 r.p.m.

噪音/Noise:≤60db

轴承/Bearing : 陶瓷轴承/Ceramic Bearing

按压/取针,Push Button/Wrench



AD-WT01

中头  
Standard Head



AD-R02

中头  
Standard Head



AD-02带灯, AD-02A不带灯, 按压/取针, 两孔/四孔

AD-02 With LED, AD-02A Without LED, Both With Quick-Coupler, Push Button/Wrench, 4/2 Holes



AD-015

标头  
Standard Head



AD-016

标头  
Standard Head



按压/取针, 两孔/四孔

Push Button/Wrench, 4/2 Holes

工作气压/Working Air Pressure: 0.20mpa-0.3mpa

适用车针/Bur Applicable:  $\Phi$ 1.595-1.600mm

转速: Rotation Speed: 35,000-400,000 r.p.m.

噪音/Noise:  $\leq$ 60db

轴承/Bearing: 陶瓷轴承/Ceramic Bearing

按压/取针, Push Button/Wrench

- 彩色手机

- COLORFUL HANDPIECE



彩色高速手机

Colorful High Speed Handpiece



AD-C01

4/2 孔, 按压/取针

4/2 Holes, Push button / Wrench

单点喷 Single way spray

大头/标头 Torque / Standard Head

工作气压/Working Pressure:0.2-0.3 MPA

转速/Rotation Speed>350,000r-100,000 R.P.M.

适用车针/Burs applicable  $\phi$ 1.595-1.600MM

颜色: 粉红, 金色, 黄色, 黑色, 深蓝, 天蓝

Color: Pink, Golden, Yellow, Black, Dark Blue, Sky Blue



AD-C02

彩色低速手机

Colorful High Speed Handpiece

工作气压/Working Pressure:0.3-0.345MPA

适用车针/Applicable Burs:  $\phi$ 2.335-2.355MM

转速/Rotation Speed:20,000-30,000 R.P.M.

噪音/Noise:70 DB

颜色: 绿色, 蓝色, 橙色, 桃红色

Color: Green, Blue, Orange, Pink



#### 齿轮夹头开闭卡环

Metal clamp opening/closing clasp



齿轮夹头卡环  
防滑设计，不滑手



#### AD-LS03

工作气压/Working Air Pressure:0.30-0.345 MPA

适用车针/Bur Applicable:Φ2.335-2.355 MM

转速 : Rotation Speed:20,000-30,000 R.P.M.

噪音/Noise:≤60db



L01

L02

L04

L05

#### 金属夹头开闭卡环

Metal clamp opening/closing clasp



耐高温高压灭菌  
不掉色，不开裂  
经久耐用，寿命长



#### AD-LS02

工作气压/Working Air Pressure:0.30-0.345 MPA

适用车针/Bur Applicable:Φ2.335-2.355 MM

转速 : Rotation Speed:20,000-30,000 R.P.M.

噪音/Noise:≤60db



M-01

M-02

M-03

M-04

- 手机套装  
- HANDPIECE KIT



AD-L05



两高一低手机套装

2 PCS High Speed Handpiece  
1 PC Contra Angle, 1 PC Straight Head ,1 PC Motor

AD-L08



光纤手机套装

3 PCS Fiber Optical Handpiece  
2 PCS Quick Coupler



Student Kit  
两高一低铝盒套装

AD-L09

标配:

防回吸款高速手机两支, 单点喷水, 按压  
新款低速手机一套  
( 马达+直机+弯机 )

Student Kit Including:

2 PCS Anti-Suction Style High Speed Handpiece  
(Single Water Spray, Push Button)  
1 Set Low Speed Handpiece  
(Motor+Straight Head+Contra Angle)

配置可选/Optional:

大头/中头 Torque Head/Standard Head  
按压/取针 Push Button/Wrench  
4/2孔 4/2 Holes  
带灯/不带灯 With Light/Without Light



Plastic/Metal  
金属/塑料外壳

AD-LE03

技术参数/Technology Data:

电池容量/Capability of Battery:2200mA/h3.7V

工作电压/Voltage : AC100-240V 50-60HZ

波长/Wavelength:420-480nm

光功率/Light Power:>1600mw/cm

固化时间和深度/Solidification time and Depth:5s-3mm

90天以上待机时间/More than 90 days standby time

工作模式/Working Modes :

强光、渐亮、脉冲三种工作模式

Strong, Gradually Strong, Flashing



AD-LE01

技术参数/Technology Data:

电池容量/Capability of Battery:2200mA/h3.7V

工作电压/Voltage : AC100-240V 50-60HZ

波长/Wavelength:420-480nm

光功率/Light Power:>1600mw/cm

固化时间和深度/Solidification time and Depth:5s-3mm

90天以上待机时间/More than 90 days standby time

工作模式 : 强光 单种工作模式

Working Modes : Strong



AD-LE12



AD-LE07



AD-LE09

## - 光固化机

### - LED CURING LIGHT



AD-LE08

#### 技术参数/Technology Data:

电池容量/Capability of Battery:2200mA/h3.7V

工作电压/Voltage : AC100-240V 50-60HZ

波长/Wavelength:420-480nm

光功率/Light Power:>1600mw/cm

固化时间和深度/Solidification time and Depth:5s-3mm

90天以上待机时间/More than 90 days standby time

工作模式: 强光、半光、渐亮、脉冲四种工作模式

Working Modes : Strong,Gradually Strong,Flashing

颜色/Color : 黑色/蓝色/粉红色 Black/Blue/Pink



AD-LE04

#### 技术参数/Technology Data:

电池容量/Capability of Battery:2200mA/h3.7V

工作电压/Voltage : AC100-240V 50-60HZ

波长/Wavelength:420-480nm

光功率/Light Power:>1600mw/cm

固化时间和深度/Solidification time and Depth:5s-3mm

90天以上待机时间/More than 90 days standby time

工作模式: 强光、渐亮、脉冲三种模式

Working Modes : Strong,Gradually Strong,Flashing



AD-LE02



AD-LE05



AD-LE10



AD-LE06



Light Meter



LC01  
Φ10mm



LC02  
Φ10mm



LC03  
Φ12mm



LC04  
Φ12mm



LC05  
Φ12mm



LC06  
Φ12mm



LC07  
Φ13.8mm



LC08  
Φ8mm



LC09  
Φ12mm



European charge  
欧式充电器



American charge  
美式充电器



LED Lamp  
LED灯



18650 Lithium battery  
18650 锂电池



- 根管长度测量仪
- APEX LOCATOR




## RPEX 6

- Advanced multi-frequency network technology of apex location and automatic calibrating ensures the measurements are accurate.
- Large Colorful display,touch button,difference colors indicate the trajectory of the file clearly.
- High capacity rechargeable battery with 3.7V/2000mAh.
- The file clip,Lip hook and touch probe can be sterilized by autoclave .
- Visual angle can be adjusted flexible.

- 多频独立网络根尖定位技术，开机自动校准，保证测量精度。
- 超大彩色液晶屏，触摸按键，多重颜色清晰指示根管锉在根管中的移动轨迹。
- 高容量电池可反复充电，续航时间更长
- 主要配件：锉夹、唇挂钩和探针均可高温高压灭菌消毒，避免交叉感染。
- 显示屏视角可灵活调节

### Technical Specification/技术参数：


电池/Battery:3.7V/2000mAh  
重量/Weight : 446g  
尺寸/Dimensions:131\*75\*105mm



The White Region of Instruction bars on the Screen is the Front Region of The Apical Foramen.



The file position is near by the apical foramen When the green bars displayed.



The file exceed the apical foramen the screen will display"--" and make a continuous beep sound.



EM-01

EM-02

-Ultraprecise motor originating in German, Low noise and vibration  
德国进口低噪低振马达

-Large Colorful OLED Screen, all angles visible  
较大彩色OLED 屏幕，视角可调

-Working Modes/工作模式:

1. Alone Root-canal length measuring/单独的根管长度测量功能
2. Alone Root-Canal enlargement/单独的根管扩大功能
3. Reciprocating rotary motion/往复旋转功能
4. Both Root-canal Length measuring and enlargement  
带根管测量的根管扩大功能

-The Main Technical Specification/主要技术参数

Battery/电池：7.2V/1500mAh

Adaptor电源适配器：~100V-240V 1.5A 50Hz/60Hz

Rotation Speed/转速：200-600 rpm

Torsion/扭力：0.6-4.0 N·cm

Buzzer Alert/警报:

The buzzer will alert when the file is less than 2 mm closed to the apex  
根管锉在距离根尖小于2mm时会有报警声提示

Main Unit/主机

Battery Voltage/电池电压: DC 3.7V

Battery Capacity/电池容量: 1050mAh

Preset Programs/预设程序: 9 types

Working Modes/工作模式: 4 modes

Standard Configuration Contra Angle/标配弯机: 16: 1

Rated input voltage/额定电压: AC110-220V, 50-60Hz

Output voltage/输出电压: DC 5V

Output current/输出电流: 1A



16:1

Ratio	RPM	Torque(N.cm)
1:1	2000-9000	-
10:1	200-900	0.2-2.2
16:1	140-550	0.3-3.0
20:1	100-450	0.4-4.0

- 打磨机  
- MICRO MOTOR



AD-MR03

打磨机带直机  
Micro Motor With Straight Handpiece  
Power/功率：65W  
Rotated Speed /转速：0-35,000 RPM  
Voltage /电压：AC110V/220V 50/60HZ  
Bur dimension /适用车针：2.35mm  
Current/电流：110V:2A 220V:1A  
Output /输出：DCO-32V

AD-MR05B



90打磨机  
90 Micro Motor

AD-MR08



马拉松打磨机  
Marathon Micro Motor

AD-MR04



204 打磨机  
204 Micro Motor



AD-MR02

无刷打磨机(5万转)  
Brushless Micro Motor(50,000 RPM)



AD-MR06

打磨机带直机&弯机  
Micro Motor With Straight & Contra Handpiece



11-04

### One to One Air Compressor/一拖一空压机

Voltage/电压 : 220VAC 50HZ  
 Power/功率 : 545W Currency/电流 : 2.4A  
 Frequency/频率 : 70L/Min  
 Air tank volume/ 储气罐容积 : 32L  
 Noise/噪音 : 55-62db  
 Starting Pressure/启动压力 : 0.5Mpa  
 Capacity Pressure/额定排气压力 : 0.8Mpa  
 Packing Size/包装尺寸 : 43\*43\*70cm G.W.:27KGS

### One to Two Air Compressor/一拖二空压机

Voltage/电压 : 220VAC 50HZ  
 Power/功率 : 840W Currency/电流 : 3.7A  
 Frequency/频率 : 105L/Min  
 Air tank volume/ 储气罐容积 : 32L  
 Noise/噪音 : 58-64db  
 Starting Pressure/启动压力 : 0.5Mpa  
 Capacity Pressure/额定排气压力 : 0.8Mpa  
 Packing Size/包装尺寸 : 43\*43\*70cm G.W.:29KGS

11-05



11-06

### One to Three Air Compressor/一拖三空压机

Voltage/电压 : 220VAC 50HZ  
 Power/功率 : 1090W Currency/电流 : 4.8A  
 Frequency/频率 : 140L/Min  
 Air tank volume/ 储气罐容积 : 60L  
 Noise/噪音 : 65-68db  
 Starting Pressure/启动压力 : 0.5Mpa  
 Capacity Pressure/额定排气压力 : 0.8Mpa  
 Packing Size/包装尺寸 : 90\*44\*77cm G.W.:66KGS



2-01



Lubricator/注油机：

Working Pressure/工作压力：2.5kg/cm<sup>2</sup>

Rated Power/额定功率：40W

Operating Voltage/工作电压：220/110V

Air Pressure/空气源压力：4-8 kg/cm<sup>2</sup>

Tank capacity/油罐容量：300ml

Operating Temperature/工作环境：5-40℃

N.W.:净重:6.5kgs

Packing Size/包装尺寸：32\*27\*39cm



Built-in Air Tank  
内置储气罐

9-01

Portable Unit/便携涡轮机：

Voltage/电压：220±22V 50HZ±1HZ

Power/功率：500W

Noise/噪音：45-50dB

N.W.:净重:25 kgs

Packing Size/包装尺寸：53\*34\*46cm



9-03

Portable Unit/便携涡轮机：

Voltage/电压：220±22V 50HZ±1HZ

Power/功率：550W

Noise/噪音：45-50dB

N.W.:净重:33 kgs

Packing Size/包装尺寸：52\*42\*70cm



AD-04A



4 LED Oral Lamp  
4珠口腔灯

AD-04B



4 LED Oral Lamp  
4珠口腔灯

AD-006



6 LED Oral Lamp  
6珠口腔灯

AD-LD04



LED Oral Lamp for FONA 1000S  
FONA 感应式口腔灯

AD-LD06



6 LED Oral Lamp  
6珠口腔灯 (4-10W)

AD-LD01




Reflection Type LED Oral Lamp  
反射式口腔灯

AD-H005



Halogen Oral Lamp  
卤素口腔灯 (塑料)

R1



B:Φ152mm

S1



A:149\*110mm

- 其他热销牙科器材

- OTHER HOT SALE DENTAL EQUIPMENT



AD-LP01 (3.5x /2.5x)  
Dental Loupe/放大镜



AD-OR05  
Intraoral Camera/口腔内窥镜



AD-OR06  
Intraoral Camera/口腔内窥镜



AD-HS01

Gutta Cutter/牙胶切断器



AD-HS02

Obturation Pen/热熔填充笔



AD-HS03

Obturation System/热熔填充系统



AD-HS04  
Plastic

Water Distiller/蒸馏水机4L



AD-HS-05  
Stainless Steel



AD-HS-06

Amalgamator/银汞混合机



AD-HS07

Portable X Ray/便携X光机



AD-HS08 (YES Korea)



AD-HS09 (YES Korea)

Dental X Ray Sensor/传感器



AD-HS10 高温高压灭菌器 (18L)  
High Temperature & Pressure Autoclave



AD-HS11 三次预真空消毒灭菌器(18L/23L)  
Triple Vacuum Autoclave



AD-HS12 紫外线灭菌柜  
Ultraviolet Sterilizer



AD-HS13  
X Ray Unit/ X光机



AD-HS14



Teeth Whitening Unit /牙齿美白仪



AD-HS15



- 其他热销牙科器材

- OTHER HOT SALE DENTAL EQUIPMENT



小涡轮机/ Turbine



10-03



10-04



10-10



10-06

移动式治疗台/Moible Treatment Table

工具车 /Tool Cart



10-01



10-02



6-01



6-03

封口机/Sealing Machine

超声波清洗机/Ultrasonic Cleaner



3-01



4-01



4-02 (0.75L)

4-02B (1.3L)



USD-J 超声波洁牙机  
USD-J Ultrasonic Scaler



USD-K 超声波洁牙机  
USD-K Ultrasonic Scaler



USD-P LED 超声波洁牙机  
USD-P LED Ultrasonic Scaler



USD-N1内置超声波洁牙机  
USD-N1 Built-in Ultrasonic Scaler



USD-N2内置超声波洁牙机  
USD-N2 Built-in Ultrasonic Scaler



USD-N2 LED 内置超声波洁牙机  
USD-N2 LED Built-in Ultrasonic Scaler



AD130  
洁牙机手柄/Scaler Handpiece



AD-131  
洁牙机手柄/Scaler Handpiece




AD-132  
气动洁牙机/Air Scaler

- 综合治疗台

- DENTAL CHAIR



AD-8000



标配/Configuration:

24V静音直流电机/24V Silence DC Motor

扶手/Armrest : 2个/ PCS

三用喷枪 (冷、热) 各一套 /3 Way Syringe(Cold &Hot):1 Set Each

强、弱吸唾器各一套 /Strong,Weak Suction : 1 Set Each

LED观片灯一套 /LED Film Viewer :1 Set

口腔灯 (卤素灯) /Holagen operation lamp:1 PC

玻璃痰盂 /Glass Cuspidor:1 Set

自动恒温漱口供给系统一套 /Auto Bowl Rinsing and filling :1 Set

手机净水系统 /Water Purified system of Handpiece:1 Set

副控系统/Assistant control sytem : 1 Set

脚踏开关一套 /Foot Switch:1 Set

PU 皮垫一套 /PU Cushion :1 Set

PU医生椅一套 /PU Doctor Chair:1 Set

技术参数:

电源电压/Voltage of Power Supply : AC220V 50HZ

电机电压/Voltage of Motor: DC24V

气源气压/Air Pressure:0.5-0.8 Mpa

水源水压/Water Pressure:0.2-0.4 Mpa

AD-2305



标配/Configuration:

24V静音直流电机/24V Silence DC Motor

扶手/Armrest : 2个/ PCS

三用喷枪 (冷、热) 各一套 /3 Way Syringe(Cold &Hot):1 Set Each

强、弱吸唾器各一套 /Strong,Weak Suction : 1 Set Each

LED观片灯一套 /LED Film Viewer :1 Set

LED口腔灯 /LED Operation lamp:1 PC

玻璃痰盂 /Glass Cuspidor:1 Set

自动恒温漱口供给系统一套 /Auto Bowl Rinsing and filling :1 Set

手机净水系统 /Water Purified system of Handpiece:1 Set

副控系统/Assistant control sytem : 1 Set

脚踏开关一套 /Foot Switch:1 Set

PU 皮垫一套 /PU Cushion :1 Set

PU医生椅一套 /PU Doctor Chair:1 Set

技术参数:

电源电压/Voltage of Power Supply : AC220V 50HZ

电机电压/Voltage of Motor: DC24V

气源气压/Air Pressure:0.5-0.8 Mpa

水源水压/Water Pressure:0.2-0.4 Mpa



AD-9000




### 标配/Configuration:

- 24V静音直流电机/24V Silence DC Motor
- 扶手/Armrest : 2个/ PCS
- 三用喷枪(冷、热)各一套 /3 Way Syringe(Cold & Hot):1 Set Each
- 强、弱吸唾器各一套 /Strong,Weak Suction : 1 Set Each
- LED观片灯一套 /LED Film Viewer :1 Set
- LED口腔灯 /LED Operation lamp:1 PC
- 玻璃痰盂 /Glass Cuspidor:1 Set
- 自动恒温漱口供给系统一套 /Auto Bowl Rinsing and filling :1 Set
- 手机净水系统 /Water Purified system of Handpiece:1 Set
- 副控系统/Assistant control sytem : 1 Set
- 脚踏开关一套 /Foot Switch:1 Set
- PU 皮垫一套 /PU Cushion :1 Set
- PU医生椅一套 /PU Doctor Chair:1 Set

### 技术参数 :

- 电源电压/Voltage of Power Supply : AC220V 50HZ
- 电机电压/Voltage of Motor: DC24V
- 气源气压/Air Pressure:0.5-0.8 Mpa
- 水源水压/Water Pressure:0.2-0.4 Mpa



AD-DC203



AD-DC204



AD-DC205

- 医师椅  
- DENTAL STOOL



AD-SA01



AD-SA02



AD-600-1DM



AD-600DM



AD-SA03



AD-500D



AD-500-1D



AD-SA04



AD-500N



AD-90BN



AD-G1



AD-G2



AD-5-01  
N.W.:31.5 KGS

Mobile Cabinet/ 移动边柜 ( 5 Drawers/5抽 )



AD-5-01B  
N.W.:34KGS

Mobile Cabinet/ 移动边柜 ( 5 Drawers/5抽 )



AD 5-02  
N.W.:35 KGS

Mobile Cabinet/ 移动边柜 ( 3 Drawers/ 3 抽 )



AD-5-04  
N.W.:25KGS

Mobile Cabinet/ 移动边柜 ( 2 Drawers/ 2 抽 )  
Stainless Steel / 全不锈钢

- 移动边柜  
- DENTAL CABINET



AD-CB003  
N.W. :40kgs



五抽豪华(大理石台面) 移动边柜  
Five Drawers Deluxe ( Marble Surface ) Cabinet



不锈钢组合柜 /Stainless Steel Combined Cabinet



六孔手机管 ( T1 )  
6 Holes Handpiece Tube



2/4孔手机管 ( T2 )  
2/4 Holes Handpiece Tube



2/4孔手机管 ( T3 )  
2/4 Holes Handpiece Tube



2/4孔螺旋手机管 ( T4 )  
2/4 Holes Handpiece Tube



螺旋手机管不带接头 ( T5 )  
Handpiece Tube without Connector



三用枪管 ( T6 )  
Syringe Tube



强吸管 ( T7 )  
Strong Suction Tube



弱吸管 ( T8 )  
Weak Suction Tube



2/4孔脚踏管 ( T9 )  
2/4 Holes Foot Control Tube





CA001 (大头/标头)



NSK Max SU (Style)型机芯  
Torque/Standard Head  
Push/Wrench

CA002 (标头)



NSK MAX 3 (Style) 型机芯  
Standard Head  
Push/Wrench

CA003 (迷你头/标头)



NSK Air (Style) 型机芯  
Mini/Standard Head  
Push/Wrench

CA004 (大头)



NSK Air (Style)型机芯  
Torque  
Push/Wrench

CA005 (标头/大头)



T3 (Style) 型机芯  
Standard /Torque Head  
Push/Wrench



CA006  
4/2孔快接头  
4/2 Holes Quick Coupler



CA007  
4孔光纤快接头  
4 Holes Fiber Optical Quick coupler



CA008  
4/2孔快接头  
4/2 Holes Quick coupler



CA009  
4/2孔螺旋管接头/4 or 2 Holes Connector



CA010  
2转4 接头/2 to 4 Connector



CA011  
4转2接头/4 to 2 Connector

机芯拆装工具/Cartridge Maintaining Tool:



CA012



CA013



CA014



AD-19-01  
按压式枕头架/Headrest

单手按压式操作/ Push Operation  
345°角可任意调节/345° Adjustable  
采用最新齿轮传动技术/ Latest technology  
of gear driving  
全金属构造/ All Metal Structure

AD-8-05  
(Φ45/50mm)



纸巾盒子 / Tissue Box

颜色/Color : 蓝色, 绿色, 粉色, 白色 / Blue, Green, Pink, White

AD-8-09  
(Φ45/50mm)



座式水杯桶 / Cup Holder

AD-8-01  
(Φ45/50mm)



三合一纸巾盒/3 in 1 Tissue Box

Φ45/50mm



AD-8-12

三合一纸巾盒/3 in 1 Tissue Box(New)

(Φ45mm)



AD-8-13

单独弧形托盘 / Curved Tray

(Size Adjustable)



AD-8-14

单独可调节方形托盘 / Square Tray



21-01  
三联膜片阀/3 in 1 Valve



21-02  
四联膜片阀/4 in 1 Valve



21-03 (22/27mm)  
六角压水阀/Pressure Valve



21-04  
方形压水阀/Pressure Valve



21-05  
F / T 型水调节阀(3mm/5mm)  
F / T Type Regulation Valve




21-06  
膜片阀膜片  
Membrane




(Φ22/Φ27mm)  
21-07  
六角压水阀膜片  
Membrane



21-08  
牙椅电磁阀  
Magnetic Valve



21-09 (Φ10)  
常开挂架阀  
Normal Open Hanging Valve



21-10  
常闭挂架阀  
Normal Close Hanging Valve



A 常开  
B 常闭  
21-11  
方形挂架阀  
Hanging Valve



21-12  
水气快接阀  
Water air Quick Connector



21-13  
强吸/Strong Suction



21-14  
强吸/Strong Suction



21-15  
强吸/Strong Suction



21-16  
强吸/Strong Suction



弱吸/Weak Suction



弱吸/Weak Suction




弱吸/Weak Suction



弱吸/Weak Suction



21-17  
强弱吸转换接头  
Strong /Weak Suction Connector



21-18  
强/弱吸管  
Strong/Weak suction Tube



21-20 弱吸  
21-19 强吸  
新款强吸/弱吸  
New Strong/Weak Suction



22-10  
总气开关  
Main Air Switch



22-02  
气控电开关  
Electrical Valve



22-03  
简易减压阀  
Pressure Reducing Valve



22-04  
拨动式水源转换开关  
Water Exchange Switch



22-05  
旋转式水源转换开关  
Water Exchange Switch



22-02  
推拉式水源转换器  
Water Exchange Switch



22-03  
吹屑器  
Blowing Debris Valve(Long)



22-04  
强/弱吸阀  
Strong/Weak Suction Valve



22-05  
4孔/4 Holes 2孔/2 Holes  
圆形脚踏阀  
Foot Pedal Valve



22-10  
气锁开关/Air Switch



22-11  
单向阀/One-Way Valve



22-12  
多功能脚踏阀/Foot Pedal Valve




22-13  
集成阀/Integrated Valve



22-14  
集成阀/Integrated Valve



22-15  
集成阀/Integrated Valve




22-16  
换向阀/Direction Valve




22-19  
下水多通/Adaptor




22-20 冲供水  
Ceramic Pipe



23-01 金属水气接头  
Metal Water Air Connector



23-02 金属水气接头  
Metal Water Air Connector



23-03 金属水气接头  
Metal Water Air Connector



23-04 快拧接头  
Quick Twist Connector




23-05 快拧接头  
Quick Twist Connector

Φ4.2 mm / Φ6.2 mm



23-06 管套  
Cover



23-07 塑料接头  
Plastic Connector



23-08 快接头  
Quick Connector



23-09 快接头  
Quick Connector



Model: 23-10  
水气管/PU Tube

3\*2mm,200m/Roll

4\*2.5mm ,200m/Roll

6\*4mm,200m/Roll

8\*5mm,100m/Roll



23-19 水过滤器  
Water Filter



23-20 强弱吸过滤器  
Strong /Weak Suction Filter



23-21

一体式强弱吸过滤器  
Suction Filter



23-22

强吸消声器  
Strong Suction Silencer



24-01

痰盂过滤器  
Spittoon Filter



横式

24-02

痰盂漏斗四件套  
Spittoon Funnel 4 Piece SET



直式

24-03

痰盂漏斗四件套  
Spittoon Funnel 4 Piece SET



24-04

方形气压表  
Gas-Pressure Meter



24-06

观片灯  
Film Viewer



24-07

热水器  
Water Heater



24-08

四孔圆形脚踏开关  
4 Holes Foot Control



24-09

两孔圆形脚踏开关  
2 Holes Foot Control



24-10

新款多功能脚踏开关



24-11

电控多功能脚踏开关  
Multi Function Foot Control



24-12

气孔多功能脚踏开关



24-13

空气减压阀  
Air Reducer



24-14

空气减压阀  
Air Reducer



24-15

储水瓶(600ML)  
Storage Bottle



24-16

储水瓶 (600/1000ML)  
Storage Bottle



24-17

瓶盖  
Bottle Cover

- 治疗机配件

- DENTAL CHAIR ACCESSORIES




24-18  
回气瓶/Air Bottle




24-19  
变压器200W /Transformer




24-20  
五联挂架盒 /Handpiece Holder



24-21  
单联挂架盒 /Handpiece Holder



24-22  
痰盂/Spittoon (Φ50)



24-23  
玻璃托盘/Glass Tray



24-24  
新款痰盂/New Type Spittoon



AD 1-01 弯式三用枪  
Three Way Syringe



AD 1-02 直式三用枪  
Straight Syringe



PB01  
Polishing Brush

猪鬃毛碗型抛光刷  
Bristle Bowl



PB02  
Polishing Brush

尼龙碗型抛光刷  
Nylon Bowl



PB03  
Polishing Brush

尼龙平头抛光刷  
Nylon Flat



PB04 抛光杯  
Polishing Propy Cup



PM01

镍钛矫形丝(10条/包)  
NiTi Archwire (10 pcs/Pack)



PM02

正畸托槽  
Bracket

PM03



PM03 牙胶尖  
Gutta Percha Points



PM07B  
吸潮纸尖

Absorbent Paper Points



PM08

不锈钢根管钉 (120/240支)  
Stainless Steel Root Canal Nail  
(120PCS / 240PCS)



PM09

金根管钉 (120/240支)  
Gold Plated Root Canal Nail  
(120PCS / 240PCS)



PM10

纯钛根管钉 (120/支)  
Titanium Root Canal Nail  
(120PCS)








































- 车针系列

- BUR SERIES



ISO 173/014 TF-11	ISO 173/016 TF-12	ISO 173/018 TF-13	ISO 172/023 TF-14	ISO 171/014 TF-20	ISO 171/016 TF-21	ISO 170/021 TF-22	ISO 170/018 TF-23	ISO 170/016 TF-31	ISO 170/014 TF-43	ISO 170/012 TF-42	ISO 169/011 TF-41	ISO 199/016 TR-11
TF Series											TR Series	
ISO 199/016 TR-12	ISO 198/018 TR-13	ISO 198/022 TR-14	ISO 200/022 TR-15	ISO 200/024 TR-19	ISO 197/014 TR-20	ISO 197/016 TR-21	ISO 197/018 TR-24	ISO 199/016 TR-25	ISO 199/018 TR-26	ISO 160/016 TC-11	ISO 160/014 TC-21	ISO 160/012 TC-26
											TC Series	
ISO 299/012 FO-11	ISO 298/014 FO-21	ISO 298/016 FO-22	ISO 257/018 FO-32	ISO 257/028 FO-25	ISO 257/032 FO-27	ISO 111/012 SF-11	ISO 111/014 SF-12	ISO 111/016 SF-13	ISO 111/014 SF-21	ISO 109/010 SF-41	ISO 288/012 SO-20	ISO 289/014 SO-21
FO Series					SF Series					SO Series		
ISO 141/012 SR-11	ISO 141/014 SR-12	ISO 141/016 SR-13	ISO 237/018 EX-20	ISO 237/012 EX-21	ISO 234/014 EX-31	ISO 237/010 EX-41	ISO 220/017 EX-24	ISO 237/032 EX-26	ISO 039/032 EX-11	ISO 039/035 EX-12	ISO 001/018 BR-31	ISO 001/014 BR-41
SR Series			EX Series						BR Series			
ISO 001/012 BR-11	ISO 001/010 BR-45	ISO 001/018 BR-49	ISO 002/018 BC-31	ISO 002/014 BC-42	ISO 002/012 BC-43	ISO 019/010 DI-41	ISO 019/014 DI-42	ISO 010/016 SI-48	ISO 010/014 SI-47	ISO 010/012 SI-46	ISO 068/041 WR-13	ISO 171/014 TF-520
			BC Series		DI Series		SI Series		WR Series		S Series	
ISO 171/016 TF-S21	ISO 170/021 TF-S22	ISO 170/018 TF-S23	ISO 173/016 TF-S31	ISO 169/011 TF-S41	ISO 198/018 TR-S13	ISO 197/016 TR-S21	ISO 160/014 TC-S21	ISO 298/014 FO-S21	ISO 288/012 SO-S20	ISO 001/012 BR-S46	ISO 001/010 BR-S45	ISO 002/012 BC-S43
ISO 002/014 BC-S42	ISO 019/010 DI-S41	ISO 010/012 SI-S46	ISO 010/016 SI-S48	ISO 198/016 TF-SS31	ISO 197/016 TR-SS21	ISO 019/010 DI-SS41	ISO 173/018 TF-13C	ISO 198/018 TR-13C	ISO 197/018 TR-62C	ISO 160/016 TC-11C	ISO 190/018 FO-S4C	ISO 068/042 WR-13C
SS Series					C Series							
ISO 173/016 TF-12F	ISO 171/016 TF-21F	ISO 199/016 TR-11F	ISO 198/018 TR-13F	ISO 197/016 TR-21F	ISO 199/016 TR-25F	ISO 199/018 TR-26F	ISO 160/016 TC-11F	ISO 160/014 TC-21F	ISO 298/014 FO-21F	ISO 298/016 FO-22F	ISO 254/017 FO-30F	ISO 237/021 EX-21F
F Series												



 ISO 150/012 EX-1BF	 ISO 150/006 BR-48F	 ISO 304/016 WR-31F	 ISO 304/016 WR-S31F	 ISO 173/016 TF-12EF	 ISO 171/016 TF-21EF	 ISO 199/016 TR-11EF	 ISO 199/018 TR-13EF	 ISO 197/016 TR-21EF	 ISO 199/016 TR-25EF	 ISO 199/018 TR-26EF	 ISO 160/016 TC-11EF	 ISO 160/011 TC-21EF
<b>EF Series</b>												
 ISO 248/014 FO-20EF	 ISO 298/014 FO-21EF	 ISO 298/016 FO-22EF	 ISO 243/010 FO-40EF	 ISO 248/012 FO-41EF	 ISO 248/012 FO-42EF	 ISO 237/021 EX-21EF	 ISO 001/010 BR-40EF	 ISO 196/020 CR-11EF	 ISO 196/019 CR-11EF	 ISO 196/015 CR-12F	 ISO 196/014 CR-12EF	 ISO 197/012 CR-21EF
<b>CR Series</b>												
 ISO 289/013 CD-50F	 ISO 001/006 CD-50F	 ISO 138/007 CD-51F	 ISO 138/007 CD-52F	 ISO 161/007 CD-53F	 ISO 246/006 CD-54F	 ISO 254/009 CD-55F	 ISO 246/007 CD-56F	 ISO 247/007 CD-57F	 ISO 108/008 CD-58F	 ISO 171/013 CD-59F		
<b>CD Series</b>												



# - 根管锉系列

## - DENTAL FILE SERIES



**带柄根管锉**  
SHORT BARBED BROACHES

**QY 202**

2-4		
1		
2		
3	5	
4	6	

L:21, 25mm 6PCS

**线锯片**  
BARBED BROACHES

**QY 203**

000		
00		
0		

L:52mm 10PCS

**扁锯片**  
SQUARE BROACHES

**QY 204**

000		
00		
0		

L:52mm 10PCS

**牙胶尖状快扩器**  
PFREADERS

**QY 214**

15		
20		
25		
30	15-40	
35	40	

L:21, 25mm 6PCS

**扩大针**  
REAMERS

**QY 205**

6	30	
8	35	
10	40	
15		15-40
20	50	45-80
25	55	60

L:18, 21, 25, 31mm 6PCS

**扩锥**  
K-FILES

**QY 206**

6	30	
8	35	
10	40	
15		15-40
20	50	45-80
25	55	60

L:18, 21, 25, 31mm 6PCS

**扩锥**  
H-FILES

**QY 207**

8	35	
10	40	
15	45	
20	50	15-40
25	55	45-80
30	60	80

L:18, 21, 25, 31mm 6PCS

**牙胶尖状快扩器**  
SPREADERS

**QY 215**

15		
20		
25		
30	15-40	
35	40	

L:21, 25mm 6PCS

**机用粗管扩大针**  
ENGINE REAMERS

**QY 208**

10	40	
15	45	
20	50	
25	55	15-40
30	60	45-80
35	70	80

L:18, 21, 25mm 6PCS

**超细锉**  
SUPER FILE

**QY 209**

10	40	
15	45	
20	50	
25	55	15-40
30	60	45-80
35	70	80

L:18, 21, 25mm 6PCS

**机用扩锥**  
ENGINE H-FILES

**QY 210**

10	40	
15	45	
20	50	
25	55	15-40
30	60	45-80
35	70	80

L:18, 21, 25mm 6PCS

**牙胶尖状快扩器**  
FINGER SPREADERS

**QY 216**

15		
20		
25		
30	15-40	
35	40	

L:21, 25mm 6PCS

**根管糊剂输送针**  
PASTE CARRIERS

**QY 211**

25		
30		
35		

L:21, 25, 29mm 4PCS

**机用长头扩管钻**  
GATES DRILLS

**QY 212**

1		
2		
3		
4	1-6	
5	6	

L:28, 32, 38mm 6PCS

**机用长头扩管钻**  
PESSO REAMERS

**QY 213**

1		
2		
3		
4	1-6	
5	6	

L:28, 32, 38mm 6PCS

**扩锥**  
K-FLEXO FILES

**QY 218**

15		
20		
25		
30	15-40	
35	40	

L:18, 21, 25, 31mm 6PCS

**锥攻片**  
FLARE FILES

**QY 219**

15	40	
20	45	
25	50	15-40
30	55	
35	60	

L:21, 25mm 6PCS

**手柄大锥度**  
HANDLE PROTAPER

**QY 220**

SX-F3		
SX		
S1		
S2	F2	
F1	F3	

L:21, 25mm 6PCS

**机用大锥度**  
ENGINE PROTAPER

**QY 221**

SX-F3		
SX		
S1		
S2	F2	
F1	F3	

L:21, 25mm 6PCS

**带柄线锯片**  
SHORT BARBED BROACHES

**QY 202**

0-4		
2-4	3	
1	4	
1	3	
2	6	

L:21mm 10PCS



**ANDER MEDICAL EQUIPMENT CO.,LIMITED**

**安德医疗器材有限公司**

地址：广东省佛山市南海区狮山镇罗村街道华南五金城21座450-454

ADD:No.450-454,Building 21,Huanan Wujin Cheng ,Luocun,Nanhai,

Foshan,Guangdong,China

TEL:+86-757-86408261 /+86-757-86408271

Fax:+86-757-86408271

分公司：山东省青岛市崂山区梅岭东路29号WFC协信中心2002室

Branch Office : Room No.2002,WFC Xiexin Central,NO.29 Meiling Dong Road

Laoshan District,Qingdao City,Shandong ,China

EMAIL:Sales@andermed.com,Sales1@andermed.com

Postmaster@andermed.com

WEBSITE:www.andermed.com