


MIDI MERGE-5 Box(MERGE-5)



Instructions


1. Product Introduction

MIDI MERGE-5 box (hereinafter referred to as product) can combine up to 5 MIDI input signals (such as MIDI keyboard or controller) into 1 MIDI data stream, which can be output through 2 MIDI interfaces. Supports the merging of various standard MIDI commands, including MIDI clock, MIDI time code and SysEx.

2. Product Parameters

Name	Description
Model	MERGE-5
Size (L x W x H)	115*73*33mm
Weight	210g
MIDI Interface	5 input, 2 output, standard MIDI five-pin interface
Power In Interface	Powered by USB-B interface, 5VDC
Indicator Light	Product power indicator
MIDI Compatibility	Compatible with all musical instruments with MIDI standard interface

3. Product Interface



- ❶ POWER IN: Product power supply interface, use USB-B plug to supply power to the product, supply voltage 5V/1A, with power indicator.
- ❷ MIDI IN 1-5: 5 MIDI input interfaces, using a standard five-pin MIDI cable, connected to the output interface of the MIDI device.
- ❸ MIDI OUT 1-2: 2 MIDI output interfaces, using standard five-pin MIDI cable, connected to the input interface of the MIDI device.

4. Product Connection

Support up to 5 MIDI input and 2 MIDI outputs at the same time:

