DOREMIDI
www.doremidi.cn

MIDI HUB-3 Box(HUB-3)



Instructions

1. Product Introduction

MIDI HUB-3 box (hereinafter referred to as product), is a product that supports 3 x 3 MIDI interface to USB device, the product has a 3 x 3 standard MIDI IN and MIDI OUT five-pin MIDI interface, with standard MIDI 16 channels , Can communicate all standard MIDI commands. The product has a standard USB MIDI interface, plug and play without the need to install a driver, can convert 3 x 3 MIDI devices into a USB device interface, and connect to the computer.

2. Product Parameters

Name	Description
Model	HUB-3
Size (L x W x H)	115*73*33mm
Weight	210g
USB Device Interface	Standard USB TO HOST interface, no need to drive, plug and play; Power the product through this interface
MIDI Interface	3 x 3 high-performance FTP processing MIDI input/output interface, 48 channels in total
Indicator Light	Product power indicator
MIDI Compatibility	Compatible with all musical instruments with MIDI standard interface
USB Compatibility	Compatible with Windows, Mac, iOS, Android and other systems

3. Product Interface



❶❷ ❸ MIDI 1-3：3 x 3 MIDI input/output interface, the product's MIDI input interface is connected to the MIDI output interface of the MIDI device, and the product's MIDI output interface is connected to the MIDI input interface of the MIDI device

❹USB TO HOST：Standard USB TO HOST interface, used to connect to the computer, no need to drive, plug and play; power supply to the product through this interface

4. Product Connection

Supports up to 3 x 3 MIDI input/output devices, MIDI input interface connects to external device MIDI output, MIDI output interface connects to external device MIDI input, USB TO HOST connects to computer: