




## 2.4G FSK RF Product


Contact information: **Shenzhen HeYan Technology CO.,LTD**  
**Hongkong Ulike Electronic Co.,Ltd**  
Address:Room307,Xinbaoyuan Building,N5179,District 74 Xin'an Street, BaoAn  
District,Shenzhen,China 518101  
Sales department: +0086 755 29662101  
E-mail : info@hkulike.com  
Web: www.hkulike.com

## 2.4G FSK RF Product



N201AP

RF data rate: 2.4 to 500 kbps  
 RF output power: + 1dBm  
 RF sensitivity: - 102 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 SMA,IPEX  
 Interfaces: SPI  
 Dimension: 22 x 17 x 3 mm  
 Operating voltage: 2-3.6V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2500  
 Mounting: SMD



N202AP

RF data rate: 2.4 to 500 kbps  
 RF output power: + 20dBm  
 RF sensitivity: - 102 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 SMA  
 Interfaces: SPI  
 Dimension: 28 x 18 x 3 mm  
 Operating voltage: 2-3.6V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2500  
 Mounting: SMD



N207AS

RF data rate: 2.4 to 500 kbps  
 RF output power: + 1dBm  
 RF sensitivity: - 102 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 PCB antenna,IPEX  
 Interfaces: SPI,UART,IIC  
 Dimension: 26 x 17 x 3 mm  
 Operating voltage: 2-3.6V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2510  
 Mounting: SMD



N208AP

RF data rate: 2.4 to 500 kbps  
 RF output power: + 1dBm  
 RF sensitivity: - 102 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 PCB antenna  
 Interfaces: USB  
 Dimension: 34 x 17 x 3 mm  
 Operating voltage: 5V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2511  
 Mounting: SMD



N209AS

RF data rate: 2.4 to 500 kbps  
 RF output power: + 20dBm  
 RF sensitivity: - 96 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 PCB antenna,IPEX  
 Interfaces: SPI,UART,IIC  
 Dimension: 34 x 17 x 3 mm  
 Operating voltage: 2-3.6V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2510  
 Mounting: SMD



N203BS

RF data rate: 250 to 2000 kbps  
 RF output power: + 4dBm  
 RF sensitivity: - 96 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 PCB antenna,IPEX  
 Interfaces: SPI,UART,IIC  
 Dimension: 26 x 17 x 3 mm  
 Operating voltage: 2-3.6V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2543  
 Mounting: SMD




N204AS

RF data rate: 250 to 2000 kbps  
 RF output power: + 20dBm  
 RF sensitivity: - 96 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 PCB antenna,IPEX  
 Interfaces: SPI,UART,IIC  
 Dimension: 26 x 17 x 3 mm  
 Operating voltage: 2-3.6V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2543  
 Mounting: SMD



N206AP

RF data rate: 250 to 2000 kbps  
 RF output power: + 4dBm  
 RF sensitivity: - 96 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 PCB antenna,IPEX  
 Interfaces: USB  
 Dimension: 34 x 17 x 3 mm  
 Operating voltage: 5V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2544  
 Mounting: SMD



N203AS

RF data rate: 250 to 2000 kbps  
 RF output power: + 4dBm  
 RF sensitivity: - 96 dBm  
 Modulation: FSK  
 Frequency: 2400MHz to 2483MHz  
 PCB antenna,IPEX  
 Interfaces: SPI,UART,IIC  
 Dimension: 27 x 27 x 3 mm  
 Operating voltage: 2-3.6V  
 Consumption (Sleep): 1uA  
 RF chip: TI CC2543  
 Mounting: SMD



**For questions please contact with us!**

Contact information: **Shenzhen HeYan Technology CO.,LTD**  
**Hongkong Ulike Electronic Co.,Ltd**  
Address:Room307,Xinbaoyuan Building,N5179,District 74 Xin an Street, BaoAn  
District,Shenz hen,China 518101  
Sales department: +0086 755 29662101  
E-mail : [info@hkulike.com](mailto:info@hkulike.com)  
Web: [www.hkulike.com](http://www.hkulike.com)

All rights are reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.