

Jaocom

health • audio



WIRELESS AUDIO, A HAPPY LIFESTYLE



Jaocom
health • audio

Advanced Digital Appliance **LISTENING 2024**
www.jaocom.com



health • audio



PERFECT SOUND, YOU CAN VISUALIZE



health•audio

Company Introduction

Zhuhai Jaocom Audio Co., Ltd was established in August 2004. Our company mainly focuses on developing and manufacturing wireless intelligent audio, which is one of the few HNTE (High and NEW Technology Expertise) audio industries in China (HNTE #: Gr20174405868).

Jaocom aiming to extend international market. Jaocom Audio fully owns its intellectual property rights. Also, Jaocom Audio obtained multiple national invention patents and utility model patents. A series of Bluetooth speakers and WiFi speakers had launched in Europe and US market, products' perfect sound effects and hi-fi quality won numerous reputable comments.

In accordance with company's globalization strategy, Jaocom tries to establish business with other foreign markets while providing superior OEM services to European and American premium brands. After years and years' efforts, our company now enters into business relationships with South America, South Africa, Middle East, Southeast Asia markets. We also built long term partnership with our clients in Germany, France, Spain, UK, Italy, Netherlands, Sweden, USA, Brazil, Chile, Argentina, Uruguay, Australia, Russia, Turkey, Korea, Indonesia and so on.

Jaocom is strictly guided by the principle of "making the quality of production better". Our product has received UL, FCC, CE, Red, RoHS, Reach, PoPs product certificates from the accredited lab TUV and SGS etc. Providing the highest quality products and best user experience are our priority of all time.

Let us take the opportunity to make Jaocom an excellent international brand in audio product field and enjoy a brilliant future together.



amfori 

Trade with purpose

BSCI





health•audio


CONTENTS

- ① Bluetooth Speaker
- ⑱ Portable BT Speaker
- ③① Sound Bar
- ③⑨ Tower Speaker

**FOCUS ON SOUND QUALITY
TO CREATE A BETTER LIFE**

HOT SALE PRODUCT

**EXCEPTIONAL QUALITY
PRIME CHOICE FOR AUDIOPHILES**



health•audio

Bluetooth Speaker Hisw-A10



Bluetooth Version 5.4



Four-Way DRC



Dual-Core DSP



True Wireless Stereo (TWS)



Hisw-A10

Dimension: 400*198*270mm

Output Power: 140W(20W*2+100W)

Power Supply: AC110-220V~50/60Hz

Speaker Driver: 20 core 8Ω silk film tweeter *2PCS;
2.75 inch 6Ω full frequency speaker *2PCS;
6.5 inch 4Ω subwoofer *1PCS;

Hisw-A10Pro

Speaker Driver: 25 core 8Ω silk film tweeter *2PCS;
2.75 inch 6Ω full frequency speaker *2PCS;
6.5 inch 4Ω subwoofer *1PCS;

Hisw-A9 Bluetooth Speaker



Hisw-A9

Dimension: 390*198*270mm

Output Power: 140W(20W*2+100W)

Power Supply: AC110-220V~50/60Hz


Speaker Driver: 20 core 8Ω silk film tweeter *2PCS;
2.75 inch 6Ω full frequency speaker *2PCS;
6.5 inch 4Ω subwoofer*1PCS;

Hisw-A9Pro

Speaker Driver: 25 core 8Ω silk film tweeter *2PCS;
2.75 inch 6Ω full frequency speaker *2PCS;
6.5 inch 4Ω subwoofer*1PCS;




Bluetooth Version 5.4



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate


Bluetooth Speaker Hisw-A8



Bluetooth Version 5.4



Four-Way DRC



Dual-Core DSP



guitar



Hisw-A8

Dimension: 390*180*190mm

Output Power: 120W(20W*2+80W)

Power Supply: AC110-220V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter*2PCS;

2.75 inch 6Ω full frequency speaker*2PCS;

5.25 inch 4Ω subwoofer*1PCS;

Hisw-A8Pro

Speaker Driver:

25core 8Ω silk film tweeter*2PCS;

2.75 inch 6Ω full frequency speaker*2PCS;

5.25 inch 4Ω subwoofer*1PCS;

Hisw-A7 Pro Bluetooth Speaker



Dimension: 400*245*168mm
Output Power: 90W (40W+50W)
Power Supply: AC110-220V~50/60Hz
Speaker Driver: 20 core 8Ω silk film tweeter*2PCS;
2.75 inch 6Ω full frequency speaker*2PCS;
5 inch 4Ω subwoofer*1PCS;



Eight Touch Key



Eliminate Unnecessary Noise

Four-Way DRC



Wireless Charging Function



Restore Real Sound

Dual-Core DSP

Bluetooth Speaker Hisw-A7



GUITAR



FM



Bluetooth



OPTICAL



USB PLAY
lossless music



AUX INPUT



KARAOKE



Eight Touch Key




Eliminate Unnecessary Noise

Four-Way DRC



Restore Real Sound

Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 400*245*168mm

Output Power: 80W (40W+40W)

Power Supply: AC110-220V~50/60Hz

Speaker Driver: 2.75 inch 6Ω full frequency speaker*2PCS;
5 inch 4Ω subwoofer*1PCS;

Hisw-A6 Bluetooth Speaker



Dimension: 390*180*190mm
Output Power: 100W (20W*2+60W)
Power Supply: AC110-220V~50/60Hz
Speaker Driver: 20 core 8Ω silk film tweeter*2PCS;
2.75 inch 6Ω full frequency speaker*2PCS;
5.25 inch 4Ω subwoofer*1PCS;




Eight Touching Keys



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

Bluetooth Speaker Hisw-A5




Bluetooth Version 5.4



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 350*180*190mm

Output Power: 80W (20W*2+40W)

Power Supply: AC110-220V~50/60Hz

Speaker Driver: 20 core 8Ω silk film tweeter*2PCS;

2.75 inch 6Ω full frequency speaker*2PCS;

5.25 inch 4Ω subwoofer*1PCS;

Hisw-A4 Bluetooth Speaker



Dimension: 360*180*160mm
Output Power: 60W
Power Supply: 22V1.6A adapter
Speaker Driver: 20 core 8Ω silk film tweeter*1PCS;
2.75 inch 6Ω full frequency speaker*1PCS;
4 inch 4Ω subwoofer*1PCS;



Eight Touching Keys



Four-Way DRC



Dual-Core DSP




Silk Film + Full Frequency + Low Frequency 2.1 System

Bluetooth Speaker Hisw-A3




2.1ch System



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 360*240*152mm

Output Power: 70W (30W+40W)

Power Supply: 22V2A adapter

Speaker Driver: 2.75 inch 6Ω full frequency speaker*2PCS;
4 inch 4Ω subwoofer*1PCS;

Hisw-A2 Pro Bluetooth Speaker




Wireless Charging Function



Four-Way DRC



Dual-Core DSP



Removable Dust Cover/touch Buttons



Dimension: 585*150*120mm
Output Power: 30W*2
Power Supply: 22V2A adapter
Speaker Driver: 3 inch 6Ω full frequency speaker*2PCS;

Bluetooth Speaker Hisw-A2




Eight Touching Keys



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



PATENT NO. 202030753353.5

Dimension: 312*150*120mm

Output Power: 25W*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker *2PCS;

Hisw-A1 Bluetooth Speaker



Dimension: 345*194*135mm
Output Power: 50W(20W+30W)
Power Supply: 22V1.6A adapter
Speaker Driver: 20 core 8Ω silk film tweeter*1PCS;
2.75 inch 6Ω full frequency speaker*1PCS;
4 inch 4Ω subwoofer*1PCS;



Karaoke Function




Eliminate Unnecessary Noise

Four-Way DRC



Restore Real Sound

Dual-Core DSP



Hear More Music Details

24bit 96KHz Sampling Rate

Bluetooth Speaker Hisw-KTM



Left and right channels

Dimension: 285*343*488mm

Output Power: 200W (50W+150W)

Power Supply: AC110-220V~50/60Hz

Speaker Driver: 20 core 8Ω silk film tweeter*1PCS;
2.75 inch 4Ω full frequency speaker*2PCS;
8 inch 4Ω subwoofer*1PCS;

Center channel / Surround channel

Output Power: 140W (40W+100W)

Speaker Driver: 20 core 4Ω silk film tweeter*2PCS;
2.75 inch 4Ω full frequency speaker*2PCS;
4 inch 4Ω subwoofer*1PCS;



Bluetooth Version 5.4



Four-Way DRC




Dual-Core DSP



TrueWireless Stereo (TWS)

F5-20 Bluetooth Speaker



RMS



Touch Clock Display



Wireless Charging Function



Dimension: 180*180*93mm
Output Power: 20W*2(RMS)
Power Supply: 15V1.6A
Speaker Driver: 2.25 inch 4Ω full frequency speaker*2PCS;



Powerful Alarm Clock Sleep Function

Bluetooth Speaker **F5-20 Pro**



Powerful Alarm Clock Sleep Function



Super Magnetic



Wireless Charging Function



Dimension: 200*200*85mm

Output Power: 20W*2(RMS)

Power Supply: 15V1.6A adapter

Speaker Driver: 4 480 4Ω full frequency speaker*2PCS;

F5-30 Bluetooth Speaker



PATENT NO. 202030753353.5

Dimension: 312*150*120mm

Output Power: 25W*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker*2PCS;



Eight Touch Key



Wireless Charging Function



Rich Functional Interface



Powerful Alarm Clock And Sleep Function

PORTABLE BT SPEAKER

FOCUS ON SOUND QUALITY
TO CREATE A BETTER LIFE



health audio

Hish-D2 Portable BT Speaker



Dimension: 190*195*190mm
Power Supply: 7.4V1800mA lithium-ion battery
Speaker Driver: 4 inch 4Ω full frequency speaker*1PCS;
Charging Interface: TYPE-C 5V
Output Power: 25W



Bluetooth Version 5.4



Karaoke Function



Dual-Core DSP



Eliminate Unnecessary Noise

Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details

Portable BT Speaker **Hish-D3**



Two-Way Wireless Microphone - Bring You a KTV Set

Karaoke Function




Restore Real Sound

Dual-Core DSP



Bluetooth Version 5.4



24 bit/96 KHz

24bit 96KHzSamplingRate Hear More Music Details



Dimension: 180*180*180mm
Power Supply: 7.4V1800mA lithium-ion battery
Speaker Driver: 4 inch 4Ω full frequency speaker*1PCS;
Charging Interface: TYPE-C 5V
Output Power: 25W

Hish-D4 Portable BT Speaker



Dimension: 287*167*153mm
Power Supply: 7.4V1800mA lithium-ion battery
Speaker Driver: 2.75 inch 6Ω tweeter*1PCS;
4 inch 4Ω full frequency speaker*1PCS;
Charging Interface: TYPE-C 5V
Output Power: 30W



Bluetooth Version 5.4



Karaoke Function



Dual-Core DSP




Eliminate Unnecessary Noise

Four-Way DRC

24bit/96KHz

24bit 96KHz Sampling Rate Hear More Music Details

Portable BT Speaker **Hish-D5**



Two-Way Wireless Mic Pairing - Bring You a KTV Set


Karaoke Function



Dual-Core DSP



Bluetooth Version 5.4



Four-Way DRC



24bit 96KHz Sampling Rate Hear More Music Details



PATENT NO. 202223217039.8

Dimension: 189*200*197mm

Power Supply: 7.4V 1800mA lithium-ion battery

Speaker Driver: 4 inch 4Ω full frequency speaker*1PCS;

Charging Interface: TYPE-C 5V

Output Power: 25W

Hish-D6 Portable BT Speaker



PATENT NO. 202130271232.1

Dimension: 287*168*165mm

Power Supply: 7.4V1800mA lithium-ion battery

Speaker Driver: 2.75 inch 6Ω tweeter*1PCS;
4 inch 4Ω full frequency speaker*1PCS;

Charging Interface: TYPE-C 5V

Output Power: 30W



Bluetooth Version 5.4



Two-Way Wireless Microphone - Bring You a KTV Set

Karaoke Function



Restore Real Sound

Dual-Core DSP



Eliminate Unnecessary Noise

Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details

Portable BT Speaker Hish-D7




Karaoke Function



Dual-Core DSP



Bluetooth Version 5.4



Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



PATENT NO. 202030753043.3

Dimension: 287*168*164mm

Power Supply: 7.4V1800mA lithium-ion battery

Speaker Driver: 2.75 inch 6Ω tweeter*1PCS;

4 inch 4Ω full frequency speaker*1PCS;

Charging Interface: TYPE-C 5V

Output Power: 30W

Hish-D8 Portable BT Speaker



PATENT NO. 202223217039.8

Dimension: 287*168*165mm

Power Supply: 12V2000mA lithium-ion battery

Speaker Driver: 2.75 inch 6Ω tweeter*1PCS;
4 inch 4Ω full frequency speaker*1PCS;

Charging Interface: TYPE-C 5V

Output Power: 40W



Bluetooth Version 5.4



Karaoke Function



Restore Real Sound

Dual-Core DSP



Eliminate Unnecessary Noise

Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details

Portable BT Speaker **Hish-D9**



Two-Way Wireless Microphone - Bring You a KTV Set

Karaoke Function




Restore Real Sound

Dual-Core DSP



Bluetooth Version 5.4



Four-Way DRC

24 bit/96 KHz

24bit 96KHzSamplingRate Hear More Music Details



PATENT NO. 202223217039.8

Dimension: 287*168*210mm

Power Supply: 12V2000mA lithium-ion battery

Speaker Driver: 20 core 8Ω silk film tweeter*1PCS;
2.75 inch 6Ω full frequency speaker*1PCS;
4 inch 4Ω full frequency speaker *1PCS;

Charging Interface: TYPE-C 5V

Output Power: 50W

Hish-P1 Portable BT Speaker



Dimension: 107*35mm
Power Supply: 3.7V1800mA lithium-ion battery
Speaker Driver: 20 core tweeter*1PCS;
50mm 4Ω full frequency speaker*1PCS;
Charging Interface: TYPE-C 5V
Output Power: 7W (RMS)



Bluetooth Version 5.4



Karaoke Function



Restore Real Sound

Dual-Core DSP



Eliminate Unnecessary Noise

Four-Way DRC



24bit 96KHz Sampling Rate Hear More Music Details

Portable BT Speaker Hish-P2




Karaoke Function



Dual-Core DSP



Bluetooth Version 5.4



Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



Dimension: 120*42mm

Power Supply: 7.4V1800mA lithium-ion battery

Speaker Driver: 13 core 6Ω silkfilm tweeter*1PCS;
2.5inch 4Ω full frequency speaker*1PCS;

Charging Interface: TYPE-C 5V

Output Power: 12W(RMS)

Hish-P3 Portable BT Speaker



Dimension: 112*112*42mm
Power Supply: 7.4V1800mA lithium-ion battery
Speaker Driver: 13 core 6Ω silkfilm tweeter*1PCS;
2.5 inch 4Ω full frequency speaker*1PCS;
Charging Interface: TYPE-C 5V
Output Power: 12W(RMS)



Bluetooth Version 5.4



Karaoke Function



Restore Real Sound

Dual-Core DSP



Eliminate Unnecessary Noise

Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



health·audio



樂
中國風


中國音樂文化歷史悠久，樂事記載
凡音之起，由人心而生，人心之動物使之然也，
感于物動，故行于聲，聲相應，故生文，變底方，
謂之音，比音而樂之，及于成謂之樂。
由此可見，樂由心生，其本在人心之德于物。
樂器科技依此理念，創導健康音响新理念，
追求用高品質音响播放合德的音響，
可使人們心情愉悅而有健康。

SOUND BAR


PERFECT SOUND, YOU CAN VISUALIZE



X4L Pro Bluetooth Sound Bar



RMS28W



Super Magnetic



Excellent Craftsmanship



TV Partner




Dimension: 406*74*49mm
Output Power: 14W*2(RMS)
Power Supply: 12V1A
Speaker Driver: 4480 4Ω full frequency speaker*2PCS

Bluetooth Sound Bar X4L




Dimension: 406*74*49mm
Output Power: 26W(RMS)
Power Supply: 18V650mA
Speaker Driver: 4480 6Ω full frequency speaker*1PCS;




Professional Radiator



Rubber Corrugated Rim




Four Sound Effects




RMS 26W

X4 Bluetooth Sound Bar




RMS 25W



Body Thickness Is Only 50mm



Professional Double Radiator



Super Magnetic



PATENT NO. 202130271223.2


Dimension: 408*51*50mm

Output Power: 25W(RMS)


Power Supply: 18V650mA

Speaker Driver: 4480 6Ω full frequency speaker*1PCS;

Bluetooth Sound Bar SH1 Pro+




Body Thickness Is Only 49mm



Metal Grille



Professional Double Radiator



PATENT NO. 202130610580.7

Dimension: 906*74*49mm

Output Power: 25W*2

Power Supply: 20V1.8A


Speaker Driver: 4480 6Ω full frequency speaker*2PCS;

PERFECT SOUND, YOU CAN VISUALIZE

SH1Pro Bluetooth Sound Bar



Dimension: 706*74*49mm
Output Power: 16W*2(RMS)
Power Supply: 18V1A adapter
Speaker Driver: 4480 6Ω full frequency speaker*2PCS;




RMS32W



High Quality Full Frequency Speaker



Double Inverted Pipe Technology



Excellent Craftsmanship

Bluetooth Sound Bar X4W



Comfortable Silicone Keys



Subwoofers Be Placed Freely



TV Partner



X4SW

Plastic Cabinet

Dimension: 506*74*49mm

Output Power: 15W*2

Power Supply: 20V1.2A adapter

Speaker Driver:

4480 6Ω full frequency speaker*2PCS

Wireless Subwoofer

Dimension: 400*200*90mm

Output Power: 30W

Speaker Driver: 4 inch 4Ω subwoofer*1PCS

Power supply: AC100-240V~50/60Hz

X4LW

Plastic Cabinet

Dimension: 506*74*49mm

Output Power: 15W*2+30W

Power Supply: 20V1.8A adapter

Speaker Driver:


4480 6Ω full frequency speaker*2PCS

Wired Subwoofer

Dimension: 400*200*90mm

Speaker Driver: 4 inch 4Ω subwoofer*1PCS

SH1W Pro Bluetooth Sound Bar



Body Thickness Is Only 49mm



Rich Functional Interface



EV Wire High Temperature Voice Coil



Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 25W*2+50W

Power Supply: 22V2A adapter

Speaker Driver: 20 core 8Ω silk film tweeter*2PCS;
4480 6Ω full frequency speaker*2PCS;

Subwoofer

Dimension: 400*230*97mm

Speaker Driver: 5 inch 4Ω subwoofer*1PCS;

Jaocom
health•audio

PERFECT SOUND, YOU CAN VISUALIZE

Bluetooth Sound Bar SH1W Pro+



Super Magnetic



Silk Film



Long Strokes Bass Speaker



TWS-SH1W Pro+

Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 30W*2

Power Supply: 22V1.6A adapter

Speaker Driver:

20 core 8Ω silk film tweeter*2PCS;

4480 6Ω full frequency speaker*2PCS;

Wireless Subwoofer

Dimension: 400*300*120mm

Output Power: 60W

Speaker Driver: 6.5 inch 4Ω subwoofer*1PCS;

Power supply: AC100-240V~50/60Hz

SH1W Pro+

Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 30W*2+60W

Power Supply: 22V2.8A adapter

Speaker Driver:

20 core 8Ω silk film tweeter*2PCS;

4480 6Ω full frequency speaker*2PCS;

Wired Subwoofer

Dimension: 400*300*120mm

Speaker Driver: 6.5 inch 4Ω subwoofer*1PCS;



health • audio



TOWER SPEAKER

PERFECT SOUND, YOU CAN VISUALIZE
BLUETOOTH 5.0

WIRELESS AUDIO
A HAPPY LIFESTYLE

T01 TOWER SPEAKER



Dimension: 180*180*780mm

Output Power:

(25W*2+50W)*2


Power Supply: (AC100-240V~50/60Hz)*2

Speaker Driver:

20 core 8Ω silk film tweeter*2PCS;

3 inch 6Ω full frequency speaker*4PCS;

5 inch 4Ω subwoofer*2PCS;



High Power Switching Power Supply



New DSP Processing Chip



True Wireless Stereo (TWS)




Professional Radiator




T01 TOWER SPEAKER

T02 TOWER SPEAKER



High Power Switching Power Supply



Powerful Digital Amplifier



Large Diameter Phase-inverter Tube



Eight Physical Key

PERFECT SOUND
YOU CAN VISUALIZE

T02 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 205*205*1130mm

Output Power: 30W*2+60W


Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter*1PCS;

2.75 inch 4Ω full frequency speaker*4PCS;

6.5 inch 8Ω subwoofer*1PCS;




High Power Switching Power Supply



Rich Functional Interface



Silk Film Tweeter



Silicone Shock-absorbing Foot Pads

WIRELESS AUDIO
A HAPPY LIFESTYLE

TO3 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 214*214*1140mm

Output Power: 30W*2+60W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter*1PCS;

3 inch 4Ω full frequency speaker*4PCS;

6.5 inch 8Ω subwoofer*1PCS;



TO3 TOWER SPEAKER

T04 TOWER SPEAKER



PERFECT SOUND
YOU CAN VISUALIZE

T04 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 205*205*1130mm

Output Power: 30W*2+60W


Power Supply: AC100-240V~50/60Hz

Speaker Driver:


20 core 8Ω silk film tweeter*1PCS;

2.75 inch 4Ω full frequency speaker*4PCS;

6.5 inch 8Ω subwoofer*1PCS;



High Power Switching Power Supply



Powerful Digital Amplifier



Silk Film Tweeter



Eight Touch Key

WIRELESS AUDIO
A HAPPY LIFESTYLE

T04W TOWER SPEAKER



Dimension: 130*110*1000mm

Output Power: 20W*2+40W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

3 inch 6Ω full frequency speaker*2PCS;

3.5 inch 4Ω subwoofer*1PCS;



LED Display



2.1ch Digital Amplifier



Built-in Subwoofer



Eight Physical Key



T04W TOWER SPEAKER

T05 TOWER SPEAKER



Mobile Device Bracket



Powerful Digital Amplifier



LED Display



Wired Stereo Port

PERFECT SOUND
YOU CAN VISUALIZE

T05 TOWER SPEAKER



Dimension: 130*110*820mm
Output Power: 20W*2
Power Supply: 18V1.3A power adapter
Speaker Driver:
3 inch 6Ω full frequency speaker*2PCS;



Eight Physical Key



New DSP Processing Chip



True Wireless Stereo(TWS)



Professional Radiator

WIRELESS AUDIO
A HAPPY LIFESTYLE

T06 TOWER SPEAKER



Dimension: 130*110*820mm

Output Power: (25W*2)*2

Power Supply: 20V1.2A power adapter*2

Speaker Driver:

3 inch 6Ω full frequency speaker*4PCS;



T06 TOWER SPEAKER

T07 TOWER SPEAKER



PERFECT SOUND
YOU CAN VISUALIZE

T07 TOWER SPEAKER



PATENT NO. CN 207947886 U

Dimension: 110*100*1000mm

Output Power: 20W*2

Power Supply: 18V1.3A power adapter

Speaker Driver:

3 inch 6Ω full frequency speaker*2PCS;



Eight Physical Key




Powerful Digital Amplifier




RGB Light



Bluetooth 5.0



High Power Switching Power Supply



2.1ch Digital Amplifier



Built-in 5 Inch Woofer



360° Digital Potentiometer

WIRELESS AUDIO
A HAPPY LIFESTYLE

T09 Pro TOWER SPEAKER



Dimension: 150*150*916mm


Output Power: 25W*2+50W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

3 inch 6Ω full frequency speaker*2PCS;

5 inch 4Ω subwoofer*1PCS;



T09 Pro TOWER SPEAKER

PC1 Portable Home CD Music Player



Dimension: 160*130*27mm
Compatible With: CD/CD-R/CD-RW/MP3/WMA
Output: Optical, AUX
Power Supply: DC 5V2A (TYPE-C)

Jaocom

health • audio

WIRELESS AUDIO, A HAPPY LIFESTYLE





health•audio

**FOCUS ON SOUND QUALITY
TO CREATE A BETTER LIFE**

LISTENING 2024



Zhuhai Jaocom Audio Co., Ltd

<http://www.jaocom.com>

E-mail: info@jaocom.com

Tel: +86-756-8500956 Fax: +86-756-8500957

Add: 5/F, 3rd Bd, 615 Road Huawei, 519075, Zhuhai, China.

BLUETOOTH/PORTABLE BT /TOWER /SOUNDBAR /SPEAKER